This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

600020327K

600020327K

A

CATALOGUE

OF

BRITISH PLANTS.

PART FIRST.

CONTAINING THE

FLOWERING PLANTS AND FERNS.

BY

J. H. BALFOUR, M.D. EDIN., REGIUS PROFESSOR OF BOTANY, GLASGOW;

CHARLES C. BABINGTON, M.A. CANTAB. F.L.S.

AND

W. H. CAMPBELL, SECRETARY TO THE BOTANICAL SOCIETY.

SECOND EDITION.

PRINTED FOR THE BOTANICAL SOCIETY OF EDINBURGH.

EDINBURGH:
MACLACHLAN, STEWART, AND CO.;
H. BAILLIERE, LONDON; SMITH AND SON, GLASGOW;
W. CURRY JUN. AND CO. DUBLIN; J. B. BAILLIERE,
PARIS; AND J. A. G. WEIGEL, LEIPZIG.

MDCCCXLI.

PRICE THREE SHILLINGS.

Publications recently issued by the Botanical Society.

TRANSACTIONS OF THE BOTANICAL SOCIETY.

VOL. I.—PART I.

INCLUDING

PAPERS BY PROFESSOR GRAHAM, DR GREVILLE, MR BABINGTON, MR BRAND, DR ROBERT PATTERSON, &c.

The Second Part of the Transactions is in the Press, and will shortly appear.

THE FOURTH AND FIFTH ANNUAL REPORTS

AND

PROCEEDINGS OF THE BOTANICAL SOCIETY.

SECOND EDITION OF

THE FIRST ANNUAL REPORT, PROCEEDINGS,

AND

LAWS OF THE BOTANICAL SOCIETY.

N.B.—Members are entitled to copies of the Society's Annual Reports, commencing with the year of their admission; and they may obtain the First, Second, and Third Reports, containing the Proceedings of the Society from its commencement to July 1839, on payment to the Treasurer of Two Shillings for each.

DIRECTIONS FOR COLLECTING AND PRESERVING BOTANICAL SPECIMENS.

By DR R. K. GREVILLE, and PROFESSOR CHRISTISON.

PRICE TWOPENCE.

The Society's Publications may be had from the Society's Publishers, and from WILLIAM PAMPLIN, jun., 9, Queen Street, Soho Square, London, to whose care parcels for the Society may be addressed.

A

CATALOGUE

OF

BRITISH PLANTS.

PART FIRST.

CONTAINING THE

FLOWERING PLANTS AND FERNS.

BY

J. H. BALFOUR, M.D. EDIN., REGIUS PROFESSOR OF BOTANY, GLASGOW;

CHARLES C. BABINGTON, M.A. CANTAB., F.L.S.

AND

W. H. CAMPBELL, SECRETARY TO THE BOTANICAL SOCIETY.

SECOND EDITION.

PRINTED FOR THE BOTANICAL SOCIETY OF EDINBURGH.

EDINBURGH:
MACLACHLAN, STEWART, AND CO.;
H. BAILLIERE, LONDON; SMITH AND SON, GLASGOW;
W. CURRY JUN. AND CO. DUBLIN; J. B. BAILLIERE,
PARIS; AND J. A. G. WEIGEL, LEIPZIG.

MDCCCXLI.

PRICE THREEPENCE.

In drawing up the Second Edition of the Botanical Society's Catalogue, the compilers have been desirous, as far as possible, to make the nomenclature of British Plants correspond with that adopted by the best continental writers. In doing this, they have been forced to make many alterations, the importance of which will, it is hoped, be recognized by the members of the Society. They have been guided in their amendments chiefly by the works of De Candolle, Koch, Nees von Esenbeck, Kunth, and Leighton.

When the name of a genus or species has been changed, reference is made to the name under which it appears in the fourth edition of Sir Wm. Hooker's British Flora. The sources whence new species are derived are indicated by reference to the works from which they are taken, and when they are still unpublished as British plants they are marked as additional species.

To each genus is affixed the Linnæan class and order to which it belongs; and the Natural Order in which it is included is marked by a number having reference to the List of Natural Orders appended to the Catalogue. In preparing the List of Natural Orders the compilers have followed the classification employed by Dr Walker-Arnott, in the article Botany, in the new edition of the Encyclopædia Britannica.

The numbers *prefixed* to the species indicate the frequency with which the plants occur in the neighbourhood of Edinburgh, and the letters and numbers at the *end* of the species show whether they are annual, biennial, or perennial, and the months in which they flower.

EXPLANATION OF TERMS.

H. B. F. Hooker's British Flora, 4th edition.
E. B. S. Supplement to English Botany.
B. F. S. Babington's Flora Sarnica,
L. F. S. Leighton's Flora of Shropshire.

B. S. T. Transactions of the Botanical Society of Edinburgh.
A. S. Additional Species.

---

a. annual. *b.* biennial. *p.* perennial. *s.* shrub. *t.* tree. The numbers after these italic letters refer to the months when the species flower in Britain.

The following signs which are prefixed to plants found within sixteen miles of Edinburgh, have reference only to their condition in this neighbourhood, and do not apply to the whole Edinburgh district, as employed in the arrangement of the Society's Herbarium.

1. Very rare.
2. Rare.
3. Rather rare.
4. In considerable abundance in two or more localities.
5. Common.
6. Very common.

? Doubtfully native.
‡ Certainly introduced.

Plants marked ‖ are beyond the distance specified, but within thirty miles of Edinburgh.

NATURAL ORDERS OF BRITISH PLANTS.

CLASS I. *Dicotyledones.*

ORDER I. RANUNCULACEÆ.
II. BERBERIDEÆ.
III. NYMPHÆACEÆ.
IV. PAPAVERACEÆ.
V. FUMARIACEÆ.
VI. CRUCIFERÆ.
VII. RESEDACEÆ.
VIII. CISTINEÆ.
IX. VIOLARIEÆ.
X. DROSERACEÆ.
XI. POLYGALEÆ.
XII. TAMARISCINEÆ.
XIII. FRANKENIACEÆ.
XIV. ELATINEÆ.
XV. CARYOPHYLLEÆ.
XVI. MALVACEÆ.
XVII. TILIACEÆ.
XVIII. HYPERICINEÆ.
XIX. ACERINEÆ.
XX. GERANIACEÆ.
XXI. LINEÆ.
XXII. BALSAMINEÆ.
XXIII. OXALIDEÆ.
XXIV. CELASTRINEÆ.
XXV. RHAMNEÆ.
XXVI. LEGUMINOSÆ.
XXVII. ROSACEÆ.
XXVIII. LYTHRARIEÆ.
XXIX. CERATOPHYLLEÆ.
XXX. ONAGRARIÆ.
XXXI. HALORAGEÆ.
XXXII. CUCURBITACEÆ.
XXXIII. PORTULACEÆ.
XXXIV. PARONYCHIACEÆ.
XXXV. CRASSULACEÆ.
XXXVI. GROSSULARIEÆ.
XXXVII. SAXIFRAGACEÆ.
XXXVIII. UMBELLIFERÆ.
XXXIX. ARALIACEÆ.
XL. CORNEÆ.
XLI. LORANTHACEÆ.
XLII. CAPRIFOLIACEÆ.
XLIII. RUBIACEÆ.
XLIV. VALERIANEÆ.
XLV. DIPSACEÆ.
XLVI. COMPOSITÆ.
XLVII. CAMPANULACEÆ.
XLVIII. ERICINEÆ.
XLIX. ILICINEÆ.
L. JASMINACEÆ.

ORDER LI. APOCYNEÆ.
LII. GENTIANEÆ.
LIII. POLEMONIACEÆ.
LIV. CONVOLVULACEÆ.
LV. BORAGINEÆ.
LVI. SOLANEÆ.
LVII. OROBANCHEÆ.
LVIII. SCROPHULARINEÆ.
LIX. LABIATÆ.
LX. VERBENACEÆ.
LXI. LENTIBULARIÆ.
LXII. PRIMULACEÆ.
LXIII. PLUMBAGINEÆ.
LXIV. PLANTAGINEÆ.
LXV. AMARANTHACEÆ.
LXVI. CHENOPODEÆ.
LXVII. POLYGONEÆ.
LXVIII. ELÆAGNEÆ.
LXIX. THYMELEÆ.
LXX. SANTALACEÆ.
LXXI. ARISTOLOCHIEÆ.
LXXII. EMPETREÆ.
LXXIII. EUPHORBIACEÆ.
LXXIV. URTICACEÆ.
LXXV. AMENTACEÆ.
LXXVI. CONIFERÆ.

CLASS II. *Monocotyledones.*

ORDER LXXVII. HYDROCHARIDEÆ.
LXXVIII. ORCHIDEÆ.
LXXIX. IRIDEÆ.
LXXX. AMARYLLIDEÆ.
LXXXI. TAMEÆ.
LXXXII. SMILACEÆ.
LXXXIII. ASPHODELINEÆ.
LXXXIV. LILIACEÆ.
LXXXV. MELANTHACEÆ.
LXXXVI. RESTIACEÆ.
LXXXVII. JUNCEÆ.
LXXXVIII. ALISMACEÆ.
LXXXIX. AROIDEÆ.
XC. POTAMEÆ.
XCI. CYPERACEÆ.
XCII. GRAMINEÆ.

CLASS III. *Acotyledones.*

ORDER XCIII. EQUISETACEÆ.
XCIV. FILICES.
XCV. LYCOPODIACEÆ.

CATALOGUE OF BRITISH PLANTS.

[illegible] L. *Oct. Mon.* 19.
? 3. [illegible], L. *t.* 5, 6.
‡ 5. [illegible], L. *t.* 5, 6.
ACERAS, Br. *Gyn. Mon.* 78.
anthropophora, Br. *p.* 6.
ACHILLÆA, L. *Syn. Sup.* 46.
6. [illegible] L. *p.* 6–8.
6. [illegible], L. *p.* 7, 8.
serrata, Retz. *p.* 8.
[illegible], L. *p.* 7, 8.
ACINOS, Mœnch, *vide* CALAMINTHA.
ACONITUM, L. *Polyan. Pent.* 1.
‡ 2. Napellus, L. *p.* 6, 7.
[illegible], L. *Hex. Mon.* 89.
[illegible], L. *p.* 6.
[illegible], L. *Polyan. Mon.* 1.
‖ ? [illegible], L. *p.* 5, 6.
ACTINOCARPUS, Br. *Hex. Polyg.* 88.
Damasonium, Br. *p.* 6, 7.
ADONIS, L. *Polyan. Pol.* 1.
? 1. autumnalis, L. *a.* 5–10.
[illegible], L. *Oct. Tet.* 39.
5. [illegible], L. *p.* 4, 5.
[illegible], L. *Pent. Dig.* 38.
6. [illegible], L. *p.* 5, 6.
[illegible], L. *Pent. Dig.* 38.
5. [illegible], L. *a.* 7, 8.
[illegible], Link, *Hex. Mon.* 83.
6. [illegible], Link, *p.* 5.
(Hypoxidinus non scriptus, H. B. F.)
[illegible], L. *Dod. Dig.* 27.
5. [illegible], L. *p.* 6, 7.
[illegible], L. *vide* [illegible].
AGROSTIS, L. *Tri. Dig.* 92.
6. alba, L. *p.* 7, 8.
5. β. stolonifera, L.
γ. sylvatica, Huds.
6. canina, L. *p.* 6, 7.
β. tenuifolia, Curt.
setacea, Curt. *p.* 6–8.
? 1. Spica-venti, L. *a.* 6, 7.
6. vulgaris, With. *p.* 6–8.
β. aristata.
4. γ. pumila, L.
δ. vivipara.
AIRA, L. *Tri. Dig.* 92.
alpina, L. *p.* 6–8.
6. cæspitosa, L. *p.* 6–8.
β. vivipara.
6. [illegible], L. *a.* 6, 7.
5. flexuosa, L. *p.* 7, 8.
β. montana, Huds.
6. præcox, L. *a.* 5, 6.
Vide CORYNEPHORUS, KŒLERIA.

AJUGA, L. *Did. Gym.* 59.
alpina, L. *p.* 7.
Chamæpitys, Sm. *a.* 4, 5.
pyramidalis, L. *p.* 6.
6. [illegible], L. p. 5.
ALCHIMILLA, L. *Tetran. Mon.* 27.
[illegible], L. *p.* 7, 8.
6. [illegible], Scop. *p.* 5-9.
conjuncta, Bab. MS. *p.* 7, 8.
(argentea, Don.)
6. [illegible], L. *p.* 6-8.
β. minor, Huds.
ALISMA, L. *Hex. Pol.* 88.
natans, L. *p.* 7, 8.
5. [illegible], L. *p.* 7.
β. lanceolatum, Sm.
4. ranunculoides, L. *p.* 8, 9.
β. repens, Dav.
ALLIUM, L. *Hex. Mon.* 83.
ambiguum, Sm. (E.B.S.)
p. 6, 7.
Ampeloprasum, L. *p.* 8.
1. arenarium, L. *p.* 7.
carinatum, L. *p.* 7.
oleraceum, L. *p.* 7.
Schœnoprasum, L. *p.* 6.
β. alpinum, Gaud.
+ sphærocephalum, L. *p.* 6, 7.
6. ursinum, L. *p.* 5, 6.
4. vineale, L. *p.* 6, 7.
ALNUS, Tourn. *Monœc. Tet.* 75.
5. glutinosa, Gært. *t.* 3.
ALOPECURUS, L. *Tri. Dig.* 92.
? 1. agrestis, L. *a.* 6, 7.
alpinus, Sm. *p.* 7, 8.
bulbosus, L. *p.* 7.
fulvus, Sm. *p.* 7.
6. geniculatus, L. *p.* 7, 8.
6. pratensis, L. *p.* 5, 6.
ALSINE, Wahl. *Dec. Trig.* 15.
(Arenaria, H. B. F.)
fastigiata, Sm. *a.* 6.
5. marina, M. K. *a.* or *b.* 6, 7.
6. peploides, Wahl. *p.* 6, 7.
rubella, Wahl. *p.* 6, 7.
5. rubra, Wahl. *a.* 6–8.
tenuifolia, Wahl. *a.* 6.
4. verna, Bartl. *p.* 5–8.
ALTHÆA, L. *Monand. Pol.* 16.
hirsuta, L. *a.* 6, 7.
[illegible], L. *p.* 7–9.
ALYSSUM, L. *Tetrad. Silic.* 6.
‖ 1. calycinum, L. (A. S.) *a.* 6.
AMARANTHUS, L. *Monœc. Pent.* 65.
Blitum, L. *a.* 8.

[illegible], Host, *Tri. Dig.* 92.
5. [illegible], Link, *p.* 7.
(A. arundinacea, H.B.F.)
ANAGALLIS, L. *Pent. Mon.* 62.
6. [illegible], L. *a.* 6–8.
β. cærulea.
4. tenella, L. *p.* 7, 8.
ANCHUSA, L. *Pent. Mon.* 55.
officinalis, L. *p.* 6, 7.
? 4. [illegible], L. *p.* 5, 6.
[illegible], L. *Dec. Mon.* 48.
[illegible], L. *s.* 6.
ANEMONE, L. *Polyan. Pol.* 1.
appenina, L. *p.* 4.
6. [illegible], L. *p.* 4.
[illegible], L. *p.* 4, 5.
ranunculoides, L. *p.* 4.
[illegible], L. *Pent. Dig.* 38.
5. [illegible], L. *p.* 7.
Vide [illegible].
ANTHEMIS, L. *Syn. Sup.* 46.
3. arvensis, L. *a.* or *b.* 6, 7.
2. [illegible], L. *a.* 6, 7.
maritima, L. *a.* 7.
nobilis, L. *p.* 8, 9.
? 1. tinctoria, L. *b.* ? 7, 8.
[illegible], L. *vide* LLOYDIA.
[illegible], L. *Dian. Dig.* 92.
6. [illegible], L. *p.* 5, 6.
ANTHRISCUS, Pers. *Pent. Dig.* 38.
? 1. Cerefolium, Koch, *a.* 6, 7.
6. sylvestris, Koch, *p.* 4–6.
6. vulgaris, Pers. *a.* 5, 6.
ANTHYLLIS, L. *Diad. Dec.* 26.
6. [illegible], L. *p.* 6–8.
β. Dillenii, Schult.
ANTIRRHINUM, L. *Did. Any.* 58.
? 2. majus, L. *p.* 7, 8.
Orontium, L. *a.* 7, 8.
APARGIA, Schreb. *vide* LEONTODON and OPORINIA.
[illegible], L. *Pent. Dig.* 38.
2. [illegible], L. *b.* 8, 9.
[illegible], L. *Polyan. Pent.* 1.
? 3. [illegible], L. *p.* 6.
ARABIS, L. *Tetrad. Siliq.* 6.
ciliata, Br. *b.* 7, 8.
— 6. hirsuta, Br. *p.* 5, 6.
petræa, DC. *p.* 7, 8.
stricta, Huds. *p.* 4.
‖ ? 1. Turrita, L. *b.* 5.
ARBUTUS, L. *Dec. Mon.* 48.
Unedo, L. *t.* 9, 10.
Vide ARCTOSTAPHYLOS.

ARCHANGELICA, Hof. *Pent. Dig.* 38.
‡ 1. officinalis, Hoffm. *b.* 6–9.
(Angelica Archangelica, H. B. F.)
ARCTIUM, L. *Syn. Æq.* 46.
6. Bardana, L. *b.* 7, 8.
4. [redacted], L. *b.* 7, 8.
ARCTOSTAPHYLOS, Kunth, *Dec. Mon.* 48.
(Arbutus, H. B. F.)
alpina, Spreng. *s.* 5.
Uva-ursi, Spreng. *s.* 5, 6.
ARENARIA, L. *Dec. Trig.* 15.
ciliata, L. *p.* 8, 9.
norvegica, Gunn. *p.* 7.
6. serpyllifolia, L. *a.* 6, 7.
Vide ALSINE, MŒHRINGIA.
ARISTOLOCHIA, L. *Gyn. Hex.* 71.
Clematitis, L. *p.* 7, 8.
ARMERIA, Willd. *Pent. Pentag.* 63.
(Statice, H. B. F.)
6. [redacted], Willd. *p.* 7, 8.
([redacted].)
β. alpina, Hpp.
[redacted], Willd. *p.* 6, 7.
ARMORACIA, Fl. wett. *Tetrad. Silic.* 6.
‡ 2. rusticana, Fl. wett. *p.* 5.
(Cochlearia Armoracia, H. B. F.)
ARNOSERIS, Gært. *Syn. Æq.* 46.
(Lapsana, H. B. F.)
pusilla, Gært. *a.* 6, 7.
ARRHENATHERUM, P. B. *Tri. Dig.* 92.
6. avenaceum, Beauv. *p.* 6, 7.
β. bulbosum, Dum.
ARTEMISIA, L. *Syn. Sup.* 46.
4. [redacted], L. *p.* 8.
cærulescens, L. *p.* 8, 9.
campestris, L. *p.* 8.
1. maritima, L. *p.* 8.
1. β. gallica, Willd.
6. [redacted], L. *p.* 8.
ARTHROLOBIUM, Desv. *Diad. Dec.* 26.
‡ ebracteatum, DC. *a.* 7, 8.
[redacted], L. *Monœc. Pol.* 89.
4. [redacted], L. *p.* 5.
ARUNDO, L. *Tri. Dig.* 92.
([redacted]is, H. B. F.)
[redacted]grostis, L. *p.* 6, 7.
([redacted]lanceolata, H. B. F.)
[redacted], L. *p.* 7.
lapponica, Wahl. *p.* 6, 7.
stricta, Schrad. *p.* 6.
Vide PHRAGMITES.
ASARUM, L. *Dod. Mon.* 71.
? 1. europæum, L. *p.* 5.
ASPARAGUS, L. *Hex. Mon.* 83.
‡ 1. officinalis, L. *p.* 8.
β. procumbens.
ASPERUGO, L. *Pent. Mon.* 55.
1. procumbens, L. *a.* 6, 7.
ASPERULA, L. *Tetran. Mon.* 43.
arvensis, L. *a.* 5–7.
[redacted], L. *p.* 6, 7.
6. [redacted], L. *p.* 5, 6.
ASTER, L. *Syn. Sup.* 46.
4. Tripolium, L. *p.* 8, 9.
ASTRAGALUS, L. *Diad. Dec.* 26.
alpinus, L. *p.* 7.
3. [redacted], L. *p.* 6, 7.
6. hypoglottis, L. *p.* 6, 7.
ATRIPLEX, L. *Polyg. Monœc.* 66.
5. angustifolia, Sm. *a.* 6–8.
† 2. deltoidea, Bab. (B. F. S.) *a.* 7, 8.
5. erecta, Huds. *a.* 8.
1. laciniata, L. *a.* 7.
5. littoralis, L. *a.* 8, 9.
marina, L. (B.F.S.) *a.* 8, 9.
microsperma, W. and K. (B. S. T.) *a.* 8.
5. patula, L. *a.* 6, 7.
2. prostrata, Bouch. (B.S.T.) *a.* 7, 8.
† 6. rosea, L. (B.F.S.) *a.* 7, 8.
[redacted], L. *Pent. Mon.* 56.
3. [redacted], L. *p.* 6.
AVENA, L. *Tri. Dig.* 92.
alpina, Sm. *p.* 6, 7.
fatua, L. *a.* 6–8.
planiculmis, Schrad. *p.* 7.
5. pratensis, L. *p.* 7.
5. pubescens, L. *p.* 6, 7.
‡ 1. strigosa, Schreb. *a.* 6, 7.
Vide TRISETUM.
[redacted], L. *Pent. Mon.* 48.
[redacted], L. *s.* 5, 6.

BALLOTA, L. *Did. Gym.* 59.
5. fœtida, Lam. *p.* 7, 8.
(nigra, L. Sp. Pl.)
ruderalis, Fries, (L. F. S.) *p.* 7, 8.
(nigra, L. Fl. suec.)
BARBAREA, Br. *Tetrad. Siliq.* 6.
1. præcox, Br. *b.* 4–10.
6. [redacted], Br. *p.* 5–8.
BARTSIA, L. *Did. Ang.* 58.
alpina, L. *p.* 7.
6. Odontites, Huds. *a.* 7, 8.
[redacted], L. *a.* 7, 8.
[redacted], L. *Syn. Sup.* 46.
6. [redacted], L. *p.* 3–11.
[redacted], L. *Hex. Mon.* 2.
3. [redacted], L. *s.* 5, 6.
BETA, L. *Pent. Dig.* 66.
? 1. maritima, L. *p.* 8.
BETONICA, L. *vide* STACHYS.
BETULA, L. *Monœc. Pol.* 75.
5. alba, L. *t.* 4, 5.
‡ 1. β. pendula, Roth.
5. glutinosa, Wallr. *t.* 4, 5.
nana, L. *s.* 5.
BIDENS, L. *Syn. Æq.* 46.
2. cernua, L. *a.* 9.
β. radiata, Sm.
2. tripartita, L. *a.* 8, 9.
β. radiata, Sm.
BLYSMUS, Panz. *Tri. Mon.* 91.
2. compressus, Panz. *p.* 7.
5. rufus, Link, *p.* 6, 7.
BORAGO, L. *Pent. Mon.* 55.
? 3. officinalis, L. *b.* 6, 7.
BORKHAUSIA, Mœnch, *Syn. Æq.* 46
fœtida, DC. *b.* 6, 7.
BRACHYPODIUM, P. B. *Tri. Dig* 92
pinnatum, Beauv. *p.* 7.
6. sylvaticum, Beauv. *p.* 7.
BRASSICA, L. *Tetrad. Siliq.* 6.
? 2. campestris, L. *a.* 6, 7.
4. Napus, L. *b.* 5.
2. nigra, Koch, *a.* 6, 7.
(Sinapis nigra, H. B. F.)
2. oleracea, L. *b.* 5, 6.
? 4. Rapa, L. *b.* 4.
Vide SINAPIS.
[redacted], L. *Tri. Dig.* 92.
6. [redacted], L. *p.* 5, 6.
[redacted], L. *a.* 7.
BROMUS, L. *Tri. Dig.* 92.
3. arvensis, L. *a.* 6, 7.
6. asper, Murr. *a.* or *b.* 6, 8.
2. erectus, Huds. *p.* 7.
β. villosus. (L. F. S.)
1. [redacted], L. *a.* 6, 7.
(diandrus, H. B. F.)
β. rigidus, Roth. (B. F. S.)
† maximus, Desf. *a.* 6, 7.
6. mollis, L. *b.* 6.
β. nanus, Weig.
4. γ. racemosus.
(B. racemosus, H. B. F.)
1. secalinus, L. *a.* 7–9.
squarrosus, L. *a.* 6, 7.
6. sterilis, L. *a.* 6, 7.
1. velutinus, Schrad. *a.* 6, 7.
Vide FESTUCA.
[redacted], L. *Monœc. Pent.* 32.
[redacted], Jacq. *p.* 5–9.
BUFFONIA, L. *Tetran. Dig.* 15.
annua, DC. *a.* 6.
BUNIUM, Koch, *Pent. Dig.* 38.
Bulbocastanum, L. *p.* 6, 7.
6. flexuosum, With. *p.* 5, 6.
BUPLEURUM, L. *Pent. Dig.* 38.
† aristatum, Bartl. *a.* 7.
(Odontites, H. B. F.)
falcatum, L. *p.* 8.
rotundifolium, L. *a.* 7.
tenuissimum, L. *a.* 8, 9.
BUTOMUS, L. *Enn. Hex.* 88.
? 2. umbellatus, L. *p.* 6, 7.
BUXUS, L. *Monœc. Tet.* 73.
? 2. sempervirens, L. *s.* 4.

'AKILE, Gært. *Tetrad. Silic.* 6.
— 5. maritima, Willd. *a.* 6–9.
'ALAMINTHA, Mœnch, *Did. Gym.* 59.
2. Acinos, Clair. *a.* 7, 8.
(Acinos vulgaris, H. B. F.)
5. Clinopodium, Spenn. *p.* 7, 8.
(Clinopodium vulgare, H. B. F.)
Nepeta, Clair. *p.* 8.
officinalis, Mœnch, *p.* 7, 8.
'ALLITRICHE, L. *Monœc. Mon.* 31.
2. autumnalis, L. *a.* 6–10.
pedunculata, DC. *a.* 6, 7.
β. sessilis, Bab. (B. F. S.)
+ platycarpa, Kütz. (B. F. S.) *a.* 6–10.
5. verna, L. *a.* 4–7.
[redacted], Salisb. *Oct. Mon.* 48.
6. [redacted], Salisb. *s.* 6–8.
β. hirsuta.
'ALTHA, L. *Polyan. Pol.* 1.
6. [redacted] L. *p.* 3–6.
β. minor, Sm.
radicans, Forst. *p.* 5, 6.
'AMELINA, Crantz, *Tetrad. Silic.* 6.
! 2. sativa, Crantz, *a.* 6, 7.
'AMPANULA, L. *Pent. Mon.* 47.
4. [redacted], L. *p.* 7, 8.
5. [redacted] L. *p.* 7, 8.
[redacted], L. *b.* 7, 8.
persicifolia, L. *p.* 7.
2. rapunculoides, L. *p.* 7, 8.
Rapunculus, L. *b.* 7, 8.
6. [redacted], L. *p.* 7–9.
! 2. [redacted], L. *p.* 7, 8.
Vide SPECULARIA, WAHLENBERGIA.
'APSELLA, DC. *Tetrad. Silic.* 6.
— 6. Bursa-pastoris, DC. *a.* 3–11.
ARDAMINE, L. *Tetrad. Siliq.* 6.
4. amara, L. *p.* 4, 5.
bellidifolia, L. *p.* 8.
— 6. hirsuta, L. *a.* 4–6.
impatiens, L. *a.* 5, 6.
— 6. pratensis, L. *p.* 5, 6.
β. dentata, Reich.
3. sylvatica, Lk. (L. F. S.) *a.* 5–7.
ARDUUS, L. *Syn. Æq.* 46.
(including CNICUS, H. B. F.)
6. acanthoides, L. *a.* 6, 7.
acaulis, L. *p.* 7, 8.
6. arvensis, Curt. *p.* 7.
! 1. [redacted], L. *b.* 8.
Forsteri,—*p.* 7, 8.
3. heterophyllus, L. *p.* 7, 8.
6. lanceolatus, L. *b.* 7–9.
4. nutans, L. *a.* 7, 8.
6. palustris, L. *b.* 7, 8.
[redacted], Huds. *p.* 6.
5. tenuiflorus, Curt. *a.* 6, 7.
tuberosus, L. *p.* 8.
Vide SILYBUM.

CAREX, L. *Monœc. Tri.* 91.
3. acuta, L. *p.* 5.
6. ampullacea, Good. *p.* 5.
aquatilis, Wahl. *p.* 7, 8.
6. arenaria, L. *p.* 6.
atrata, L. *p.* 6, 7.
1. axillaris, Good. *p.* 6.
5. binervis, Sm. *p.* 6.
6. cæspitosa, L. *p.* 5, 6.
(angustifolia, Sm.)
canescens, L. *p.* 7.
capillaris, L. *p.* 7, 8.
clandestina, Good. *p.* 5.
6. curta, Good. *p.* 6.
1. Davalliana, Sm. *p.* 5, 6.
depauperata, Good. *p.* 5, 6.
digitata, L. *p.* 5.
5. dioica, L. *p.* 5, 6.
4. distans, L. *p.* 6.
divisa, Huds. *p.* 5, 6.
1. divulsa, Good. *p.* 5.
elongata, L. *p.* 6.
3. extensa, Good. *p.* 6.
3. filiformis, L. *p.* 6.
6. flava, L. *p.* 5, 6.
4. fulva, Good. *p.* 6, 7.
(speirostachya, Sw.)
6. hirta, L. *p.* 5, 6.
hordeiformis, Host, *p.* 6, 7.
incurva, Lightf. *p.* 6.
5. intermedia, Good. *p.* 5, 6.
irrigua, Sm. (A. S.) *p.* 7.
3. lævigata, Sm. *p.* 6.
leporina, L. *p.* 7.
2. limosa, L. *p.* 7.
3. muricata, L. *p.* 5, 6.
2. Œderi, Ehrh. *p.* 5, 6.
6. ovalis, Good. *p.* 6.
3. pallescens, L. *p.* 5, 6.
3. paludosa, Good. *p.* 5.
6. panicea, L. *p.* 5, 6.
6. paniculata, L. *p.* 6.
pauciflora, Lightf. *p.* 6.
3. [redacted], Huds. *p.* 5, 6.
phæostachya, Sm. *p.* 6.
(Michelioferi, Sm.)
4. pilulifera, L. *p.* 4, 5.
6. [redacted], Jacq. *p.* 4.
Pseudo-cyperus, L. *p.* 6.
4. pulicaris, L. *p.* 6.
punctata, Gaud. *p.* 6.
rariflora, Sm. *p.* 7.
6. recurva, Huds. *p.* 5, 6.
(Micheliana, Sm.
stictocarpa, Sm.)
5. remota, L. *p.* 5, 6.
(tenella, Schk.)
rigida, Good. *p.* 6, 7.
4. riparia, Curt. *p.* 4, 5.
rupestris, All. *p.* 8.
saxatilis, L. *p.* 7.
(pulla, Good.)

CAREX, L.
6. stellulata, Good. *p.* 5, 6.
2. stricta, Good. *p.* 4, 5.
1. strigosa, Huds. *p.* 4, 5.
5. sylvatica, Huds. *p.* 5, 6.
5. teretiuscula, Good. *p.* 5, 6.
tomentosa, L. *p.* 6.
ustulata, Willd. *p.* 7.
Vahlii, Schk. *p.* 8, 9.
1. vesicaria, L. *p.* 5.
5. vulpina, L. *p.* 5, 6.
CARLINA, L. *Syn. Æq.* 46.
vulgaris, L. *b.* 6.
CARPINUS, L. *Monœc. Pol.* 75.
! 2. Betulus, L. *t.* 5.
CARUM, L. *Pent. Dig.* 38.
! 2. Carui, L. *b.* 6, 7.
verticillatum, Koch, *p.* 7, 8.
CASTANEA, Tourn. *Monœc. Pol.* 75.
‡ 2. vulgaris, Lam. *t.* 5.
CATABROSA, Beauv. *Tri. Dig.* 92.
5. aquatica, Beauv. *p.* 5, 6.
CAUCALIS, L. *Pent. Dig.* 38.
daucoides, L. *a.* 6.
latifolia, L. *a.* 7.
CENTAUREA, L. *Syn. Frus.* 46.
Calcitrapa, L. *a.* 7, 8.
6. Cyanus, L. *a.* 7, 8.
+ Isnardi, L. *p.* 7, 8.
Jacea, L. *p.* 8, 9.
6. nigra, L. *p.* 6–8.
β. radiata.
2. Scabiosa, L. *p.* 7, 8.
solstitialis, L. *a.* 7–9.
CENTRANTHUS, DC. *Tri. Mon.* 44.
Calcitrapa, Dufr. (A. S.) *a.* 5.
! 2. ruber, DC. *p.* 6–9.
CENTUNCULUS, L. *Tetran. Mon.* 62.
minimus, L. *a.* 6, 7.
CEPHALANTHERA, Ric. *Gyn. Mon.* 78.
(Epipactis, H. B. F.)
1. ensifolia, Rich. *p.* 5, 6.
grandiflora,—*p.* 6.
(pallens Rich.)
rubra, Rich. *p.* 5–7.
CERASTIUM, L. *Dec. Pent.* 15.
alpinum, L. *p.* 6, 7.
β. piloso-pubescens, Benth.
2. arvense, L. *p.* 5–8.
3. atrovirens, Bab. (B. F. S.) *a.* 6
β. pedunculatum, Bab.
6. glomeratum, Thuill. *a.* 4–6.
(C. vulgatum, H. B. F.)
latifolium, L. *p.* 6, 7.
pumilum, Curt. (A. S.) *a.* 5.
6. semidecandrum, L. *a.* 3, 4.
β. glutinosum, Fries.
2. tetrandrum, Curt. *a.* 5, 6.
6. triviale, Link, *p.* 5–9.
(C. viscosum, H. B. F.)
β. holosteoides, Fries.
Vide STELLARIA.

CERASUS, Juss. *Icos. Mon.* 27.
(Prunus, H. B. F.)
austera, Leight. (L.F.S.) *s.* 5.
5. avium, Mœnch, *s.* 5.
(P. Cerasus, H. B. F.)
5. Padus, DC. *s.* 5.
CERATOPHYLLUM, L. *Monæc. Pol.* 29.
demersum, L. *p.* 8, 9.
3. submersum, L. *p.* 9.
CHÆROPHYLLUM, L. *Pent. Dig.* 38.
6. temulum, L. *p.* 16, 7.
[redacted], L. *Tetrad. Siliq.* 6.
5. [redacted], L. *p.* 4, 5.
CHELIDONIUM, L. *Polyan. Mon.* 4.
4. [redacted], L. *p.* 5, 6.
β. laciniatum, DC.
CHENOPODIUM, L. *Pent. Dig.* 66.
6. album, L. *a.* 7, 8.
β. viride, L.
5. Bonus-Henricus, L. *p.* 5–8.
botryodes, Sm. *a.* 8, 9.
ficifolium, Sm. *a.* 8, 9.
glaucum, L. *a.* 8.
1. hybridum, L. *a.* 8, 9.
murale, L. *a.* 8, 9.
3. olidum, Curt. *a.* 8.
polyspermum, L. *a.* 7–9.
β. acutifolium, Sm.
2. rubrum, L. *a.* 8, 9.
2. urbicum, L. *a.* 8, 9.
β. intermedium, Koch.
Vide SCHOBERIA.
CHERLERIA, L. *Dec. Trig.* 15.
sedoides, L. *p.* 7, 8.
[redacted], L. *Oct. Mon.* 52.
[redacted], L. *a.* 7–9.
[redacted], L. *Syn. Sup.* 46.
6. [redacted], L. *p.* 6, 7.
5. [redacted], L. *a.* 6–8.
[redacted], L. *Dec. Dig.* 37.
5. [redacted], L. *p.* 3–5.
6. [redacted], L. *p.* 4–7.
[redacted], Adans. *Tetran. Mon.* 52.
([redacted], H. B. F.)
[redacted], Reich. *a.* 7.
CICHORIUM, L. *Syn. Æq.* 46.
2. [redacted], L. *p.* 7, 8.
[redacted], L. *Pent. Dig.* 38.
2. [redacted], L. *p.* 7, 8.
CINERARIA, L. *Syn. Sup.* 46.
[redacted], Retz. *p.* 5, 6.
palustris, L. *p.* 6, 7.
CIRCÆA, L. *Dian. Mon.* 30.
2. alpina, L. *p.* 7, 8.
β. intermedia, Ehrh.
5. [redacted], L. *p.* 6, 7.
CLADIUM, Schrad. *Dian. Mon.* 91.
Mariscus, Br. *p.* 7, 8.
[redacted], L. *Polyan. Pol.* 1.
‡ 2. [redacted], L. *s.* 7.
CLINOPODIUM, L. *vide* CALAMINTHA.
[redacted], *vide* CARDUUS.

COCHLEARIA, L. *Tetrad. Silic.* 6.
— anglica, L. *a.* 5, 6.
— 3. danica, L. *a.* 5, 6.
grœnlandica, L. *a.* 5, 6.
— 6. officinalis, L. *a.* 5–9.
Vide ARMORACIA.
COLCHICUM, L. *Hex. Trig.* 85.
autumnale, L. *p.* 9, 10.
COMARUM, L. *vide* POTENTILLA.
CONIUM, L. *Pent. Dig.* 38.
6. maculatum, L. *b.* 6, 7.
CONVALLARIA, L. *Her. Mon.* 82.
‡ 3. [redacted], L. *p.* 5.
‡ 2. multiflora, L. *p.* 5, 6.
Polygonatum, L. *p.* 5, 6.
verticillata, L. *p.* 6.
CONVOLVULUS, L. *Pent. Mon.* 54.
5. arvensis, L. *p.* 6, 7.
β. hirtus, Koch.
3. sepium, L. *p.* 7. 8.
[redacted], L. *p.* 6–8.
CORALLORHIZA, Br. *Gyn. Mon.* 78.
2. innata, Br. *p.* 5, 6.
CORIANDRUM, L. *Pent. Dig.* 38.
? 2. sativum, L. *a.* 6.
CORNUS, L. *Tetran. Mon.* 40.
? 5. sanguinea, L. *s.* 6, 7.
suecica, L. *p.* 6–8.
CORONOPUS, Gært. *vide* SENEBIERA.
CORRIGIOLA, L. *Pent. Trig.* 34.
littoralis, L. *a.* 7, 8.
CORYDALIS, DC. *Diad. Hex.* 5.
4. claviculata, DC. *a.* 6–8.
‡ 1. lutea, DC. *p.* 5.
‡ 1. solida, Hook. *p.* 4, 5.
CORYLUS, L. *Monæc. Pol.* 75.
5. Avellana, L. *t.* 3, 4.
CORYNEPHORUS, Beauv. *Tri. Dig.* 92.
(Aira, H. B. F.)
canescens, Beauv. *p.* 7.
COTONEASTER, Lindl. *Icos. Pent.* 27.
‡ 2. vulgaris, Lindl. *s.* 7.
[redacted], L. *Dec. Pent.* 35.
[redacted], Huds. *p.* 7;
Umbilicus, L. *p.* 6–8.
[redacted], L. *Tetrad. Silic.* 6.
2. [redacted], L. *p.* 5–7.
[redacted], L. *Icos. Pent.* 27.
6. [redacted], L. *t.* 5, 6.
CREPIS, L. *Syn. Æq.* 46.
[redacted], L. *b.* 6, 7.
6. paludosa, Mœnch, *p.* 8.
pulchra, L. *a.* 6–9.
succisæfolia, Tausch, *p.* 7, 8.
6. virens, L. *a.* 6–9.
CRITHMUM, L. *Pent. Dig.* 38.
maritimum, L. *p.* 8.
CROCUS, L. *Tri. Mon.* 79.
‡ 2. aureus, Sm. *p.* 3.
minimus, Red. *p.* 3.
nudiflorus, Sm. *p.* 10.
(speciosus, H.B.F.)

CROCUS, L.
sativus, L. *p.* 9.
‡ 2. vernus, Willd. *p.* 3.
CUCUBALUS, L. *Dec. Trig.* 15.
baccifer, L. *p.* 7, 8.
CUSCUTA, L. *Pent. Dig.* 54.
2. Epilinum, Weihe, *a.* 8, 9.
2. [redacted], L. *a.* 7, 8.
europæa, L. *a.* 8, 9.
CYCLAMEN, L. *Pent. Mon.* 62.
hederæfolium, Willd. *p.* 4
[redacted], Rich. *Tri. Dig.* 92.
[redacted], Pers. *p.* 7, 8.
CYNOGLOSSUM, L. *Pent. Mon.* 55
5. officinale, L. *b.* 6, 7.
montanum, Lam. *b.* 7.
(sylvaticum, H. B. F.)
[redacted], L. *Tri. Dig.* 92.
6. [redacted], L. *p.* 6, 7.
[redacted], L. *a.* 7.
CYPERUS, L. *Tri. Mon.* 91.
fuscus, L. *a.* 8, 9.
† longus, L. *p.* 7, 8.
[redacted], L. *Gyn. Dian.* 78
[redacted], L. *p.* 6.
CYTISUS, *vide* SAROTHAMNUS.

[redacted], Don, *Oct. Mon.* 48.
([redacted], H. B. F.)
[redacted], Don, *s.* 6, 7.
DACTYLIS, L. *Tri. Dig.* 92.
6. glomerata, L. *p.* 6–8.
DANTHONIA, DC. *Tri. Dig.* 92.
(Triodia H. B. F.)
6. decumbens, DC. *p.* 7.
DAPHNE, L. *Oct. Mon.* 69.
? 3. [redacted], L. *s.* 3.
‡ 2. Mezereum, L. *s.* 3.
DATURA, L. *Pent. Mon.* 56.
Stramonium, L. *a.* 7.
DAUCUS, L. *Pent. Dig.* 38.
6. [redacted], L. *b.* 6, 7.
maritimus, With. *b.* 7, 8
[redacted], L. *Polyan. Pent.* 1
‡ 1. [redacted], L. *a.* 6, 7.
[redacted], L. *Tetrad. Siliq.* 6.
[redacted], L. *p.* 4, 5.
DIANTHUS, L. *Dec. Dig.* 15.
2. Armeria, L. *a.* 7, 8.
cæsius, Sm. *p.* 6, 7.
? 1. Caryophyllus, L. *p.* 7.
5. deltoides, L. *p.* 7–9.
β. glaucus, L.
plumarius, L. (L.F.S.) *p.* 7.
— prolifer, L. *a.* 6, 7.
[redacted], L. *Did. Ang.* 58.
6. [redacted], L. *b.* 6, 7.
DIGITARIA, Scop. *Tri. Dig.* 92.
humifusa, Pers. *a.* 7, 8.
[redacted], Scop. *a.* 7, 8

Diotis, Desf. *Syn. Æq.* 46.
maritima, Cass. *p.* 8, 9.
Diplotaxis, DC. *Tetrad. Siliq.* 6.
(Sinapis, H. B. F.)
— 2. tenuifolia, DC. *p.* 6–10.
— 2. muralis, DC. *a.* 8, 9.
Dipsacus, L. *Tetran. Mon.* 45.
Fullonum, L. *b.* 7, 8.
pilosus, L. *b.* 8, 9.
5. sylvestris, L. *b.* 7.
Doronicum, L. *Syn. Sup.* 46.
3. Pardalianches, L. *p.* 5.
2. plantagineum, L. ! *p.* 6, 7.
Draba, L. *Tetrad. Silic.* 6.
[redacted], L. *p.* 3, 4.
incana, L. *b.* 5–7.
‡ 2. muralis, L. *a.* 4, 5.
rupestris, Br. *p.* 5–7.
6. [redacted], L. *a.* 3, 4.
β. inflata, Hook.
Drosera, L. *Pent. Hex.* 10.
1. anglica, Huds. *p.* 7, 8.
longifolia, L. *p.* 7, 8.
5. [redacted], L. *p.* 7, 8.
[redacted], L. *Icos. Pol.* 27.
[redacted], L. *p.* 7, 8.

Echinospermum, Sw. *Pent. Mon.* 55.
Lappula, Lehm. (A.S.) *a.* 6.
[redacted], L. *Pent. Mon.* 55.
[redacted], L. *a.* 8.
6. [redacted], L. *b.* 6, 7.
Elatine, L. *Oct. Tet.* 14.
hexandra, DC. *a.* 7, 8.
Hydropiper, L. *a.* 7, 8.
Eleocharis, Br. *Tri. Mon.* 91.
4. acicularis, Br. *p.* 7, 8.
2. multicaulis, Sm. *p.* 7.
6. palustris, Br. *p.* 6, 7.
Vide Isolepis and Scirpus.
Elymus, L. *Tri. Dig.* 92.
arenarius, L. *p.* 7.
europæus, L. *p.* 6.
geniculatus, Curt. *p.* 7.
[redacted], Schrad. *vide* Koeleria.
[redacted], L. *Diœc. Trian.* 72.
[redacted], L. *s.* 5.
Epilobium, L. *Oct. Mon.* 30.
alpinum, L. *p.* 7.
‖ 2. alsinifolium, Vill. *p.* 7.
3. angustifolium, L. *p.* 7, 8.
6. hirsutum, L. *p.* 7.
lanceolatum, Seb. (A.S.) *p.* 7.
6. montanum, L. *p.* 7.
6. palustre, L. *p.* 7.
5. parviflorum, Schreb. *p.* 7.
1. roseum, Schreb. *p.* 7.
5. tetragonum, L. *p.* 7.
Epimedium, L. *Tetran. Mon.* 2.
‡ 1. alpinum, L. *p.* 5.

Epipactis, Br. *Gyn. Mon.* 78.
4. latifolia, Sw. *p.* 7, 8.
β. viridiflora, Reich.
2. palustris, Sw. *p.* 7, 8.
purpurata, Sm. *p.* 6.
Vide Cephalanthera.
Eranthis, Salisb. *Polyan. Pol.* 1.
‡ 2. hyemalis, Salisb. (A.S.)
p. 2, 3.
Erica, L. *Oct. Mon.* 48.
ciliaris, L. *s.* 6, 7.
6. [redacted], L. *s.* 7, 8.
Mackaiana, Bab. *s.* 7–9.
mediterranea, L. *s.* 4.
6. [redacted], L. *s.* 7, 8.
[redacted], L. *s.* 7, 8.
Erigeron, L. *Syn. Sup.* 46.
acris, L. *b.* 7, 8.
alpinus, L. *p.* 7, 8.
β. uniflorus, L.
canadensis, L. *a.* 8, 9.
Eriocaulon, L. *Monœc. Hex.* 86.
septangulare, With. *p.* 9.
Eriophorum, L. *Tri. Mon.* 91.
alpinum, L. *p.* 6, 7.
6. angustifolium, Roth, *p.* 4.
capitatum, Host, *p.* 7, 8.
gracile, Roth, *p.* 7.
5. polystachion, L. *p.* 4–6.
pubescens, Sm. *p.* 4–6.
6. vaginatum, L. *p.* 4, 5.
Erodium, L'Herit. *Monad. Pent.* 20.
6. cicutarium, Sm. *a.* 6–9.
maritimum, Sm. *p.* 5–9.
‡ 1. [redacted], Sm. *a.* 6, 7.
Erucastrum, Spenn. *Tetrad. Siliq.* 6.
(Sinapis, H. B. F.)
+ incanum, Koch, *b.* 5–7.
[redacted], *vide* Vicia.
Eryngium, L. *Pent. Dig.* 38.
campestre, L. *p.* 7, 8.
1. maritimum, L. *p.* 7, 8.
Erysimum, L. *Tetrad. Siliq.* 6.
— 6. Alliaria, L. *a.* 5, 6.
cheiranthoides, L. *a.* 7.
orientale, Br. *a.* 6.
virgatum, Roth, (A.S.) *b.* 6, 7.
Erythræa, Reneal. *Pent. Mon.* 52.
6. [redacted], Pers. *a.* 7, 8.
latifolia, Sm. *a.* 7.
2. linariifolia, Pers. *a.* 6, 7.
(littoralis, H. B. F.)
2. ramosissima, Pers. *a.* 8, 9.
(pulchella, H. B. F.)
[redacted], L. *Pent. Mon.* 24.
2. [redacted], L. *s.* 5.
[redacted], L. *Syn. Æq.* 46.
5. [redacted], L. *p.* 7, 8.
Euphorbia, L. *Monœc. Mon.* 73.
amygdaloides, L. *p.* 3, 4.
Characias, L. *s.* 3, 4.
coralloides, L. (E.B.S.) *b.* 6.

Euphorbia, L.
Cyparissias, L. *p.* 6, 7.
2. Esula, L. *p.* 7.
5. exigua, L. *a.* 7.
6. helioscopia, L. *a.* 7, 8.
hiberna, L. *p.* 6.
! 1. Lathyris, L. *b.* 6, 7.
‡ 1. Paralias, L. *p.* 8, 9.
Peplis, L. *a.* 7–9.
6. Peplus, L. *a.* 7, 8.
pilosa, L. *p.* 6.
platyphylla, L. *a.* 7, 8.
portlandica, L. *p.* 8.
Euphrasia, L. *Did. Ang* 58.
6. officinalis, L. *a.* 7, 8.
[redacted], *vide* Cicendia.

Fagopyrum, Mœnch, *Oct. Trig.* 67.
! 2. esculentum, Mœnch, *a.* 7, 8.
(Polygonum Fag. H. B. F.)
Fagus, L. *Monœc. Pol.* 75.
! 5. sylvatica, L. *t.* 4, 5.
Fedia, *vide* Valerianella.
Festuca, L. *Tri. Dig.* 92.
3. bromoides, L. *a.* 6.
4. duriuscula, L. *p.* 6, 7.
5. elatior, L. *p.* 6, 7.
(pratensis, Huds.)
5. gigantea, Vill. *p.* 7, 8.
(Bromus giganteus, H.B.F.)
3. β. triflora.
3. loliacea, Huds. *p.* 6, 7.
2. Myuros, L. *a.* 6, 7.
6. ovina, L. *p.* 6, 7.
β. rubra, With.
γ. cæsia Sm.
3. δ. tenuifolia, Sibth.
ε. vivipara, Sm.
3. rubra, L. *p.* 7.
+ 3. β. sabulicola, DC. (B.F.S.)
1. sylvatica, Vill. *p.* 7.
(Calamaria, H. B. F.)
β. decidua, Bell.
unigluмis, Soland. *b.* 6.
Filago, L. *Syn. Sup.* 46.
gallica, L. *a.* 7, 8.
5. germanica, L. *a.* 7, 8.
5. minima, Hook. *a.* 7.
[redacted], Hoffm. *Pent. Dig.* 38.
[redacted], Gært. *b.* 7.
Fragaria, L. *Icos. Pol.* 27.
3. elatior, Ehrh. *p.* 6–9.
[redacted], L. *p.* 5–7.
Frankenia, L. *Hex. Mon.* 13.
— lævis, L. *p.* 7.
pulverulenta, L. *a.* 7.
Fraxinus, L. *Dian. Mon.* 50.
5. [redacted], L. *t.* 4, 5.
β. heterophylla. Valil.
[redacted], L. *Hex. Mon.* 84.
[redacted], L. *p.* 4.

[illegible]
[illegible]
[illegible], L. [illegible]
[illegible], L. [illegible]
3. [illegible] Pol.
[illegible]
[illegible] H. B. F.

[illegible], Sa[illegible] Mo[illegible]
1. [illegible], [illegible] 3, 4.
[illegible], L. [illegible]
3. [illegible], L. [illegible] 2, 3.
Grumbolon, Huds. v. Lavatera.
Gy[illegible], L. [illegible]
3. [illegible], L. [illegible]
[illegible], Lam. [illegible]
(Pol[illegible], H. B. F.)
4. [illegible], L. [illegible]
5. versicolor, Curt. a. 7, 8.
Gerum, L. [illegible] 3.
3. Aparine, L. [illegible]
arvatum, L. [illegible] 7, 8.
2. boreale, L. p. 7, 8.
1. inermum, All. [illegible] 8.
[illegible]ciatum, L. [illegible] 5, 6.
erectum, Huds. [illegible] 6, 7.
insubricum, Gaud. (A. S.) [illegible] 6, 7.
1. M[illegible]ugo, L. [illegible] 7, 8.
3. scabrum, With.
6. palustre, L. [illegible] 7.
3. [illegible], Sm.
parisiense, L. [illegible] 6.
3. anglicum, Huds.
2. pusillum, L. [illegible] 7, 8.
saccharatum, All. [illegible] 6, 8.
6. saxatile, L. p. 6, 8.
spurium, L. [illegible] 6, 7.
tricorne, With. a. 7.
3. uliginosum, L. p. 8.
6. verum, L. p. 7, 8.
Gastridium, Beauv. *Tri. Dig.* 92.
lendigerum, Beauv. [illegible] 8.
Genista, L. *Diad. Dec.* 26.
2. [illegible], L. s. 5, 6.
pilosa, L. s. 5 and 9.
1. [illegible], L. s. 7, 8.
Gentiana, L. *Pent. Dig.* 52.
4. Amarella, L. a. 8, 9.
5. [illegible], L. a. 8, 10.
germanica, Willd. (A. S.) a. 8, 9.
[illegible], L. a. 8.
Pneumonanthe, L. p. 8, 9.
[illegible], L. p. 4.
Geranium, L. *Monad. Dec.* 20.
2. columbinum, L. a. 6, 7.
6. dissectum, L. a. 5, 6.
6. lucidum, L. a. 5, 8.
6. [illegible], L. a. 4-8.

Geranium, L.
molesum, L. p. 5, 8.
? 3. [illegible], L. p. 5, 6.
5. pratense, L. p. 6, 7.
prostratum, Cav. p. 7, 9.
2. pusillum, L. a. 6-9.
4. [illegible], L. p. 6, 7.
6. robertianum, L. [illegible] 7-10.
2. 3. purpureum, Vill.
? 5. rotundifolium, L. a. 6, 7.
5. [illegible], L. p. 7, 9.
3. sylvaticum, L. p. 6, 7.
Geum, L. *Icos. Dec.* 27.
6. [illegible], L. s. 6, 7.
3. hybridum, Sm.
6. [illegible], L. p. 5-8.
4. 3. intermedium, Ehrh.
Geraicum, Tourn. *Pen[illegible] Mon.* 4.
2. [illegible], L. 5, 7, 8.
phœniceum, Gaert. a. 6, 7.
Vide Robertia.
Glaux, L. *Pent. Mon.* 62.
6. [illegible], L. p. 6, 7.
Glechoma, L. *Did. Gym.* 59.
6. hederacea, L. p. 4, 5.
3. hirsuta, Benth.
Glyceria, Br. *Tri. Dig.* 92.
(Poa, H. B. F.)
5. aquatica, Sm. p. 7, 8.
5. fluitans, Br. p. 6-8.
Gnaphalium, L. *Syn. Sup.* 46.
5. [illegible], L. p. 6, 7.
β. hyperboreum, Don.
luteo-album, L. a. 7, 8.
margaritaceum, L. p. 8.
1. supinum, L. p. 7.
6. sylvaticum, L. p. 8.
3. 5. rectum, Huds.
6. uliginosum, L. a. 8.
Goodyera, Br. *Gyn. Mon.* 78.
repens, Br. p. 7.
Gymnadenia, Br. *Gyn. Mon.* 78.
1. albida, Scop. p. 6, 7.
(Habenaria albida, H.B.F.)
5. conopsea, Br. p. 6.

Habenaria, Br. *Gyn. Mon.* 78.
5. bifolia, Bab. p. 6.
4. chlorantha, Bab. p. 6.
5. viridis, Br. p. 6, 7.
Vide Gymnadenia.
Halimus, Wallr. *Polyg. Monœc.* 66.
(Atriplex, H. B. F.)
pedunculatus, Wallr. a. 8, 9.
portulacoides, Wall. p. 8-10.
Hedera, L. *Pent. Mon.* 39.
6. Helix, L. s. 9, 10.
Helianthemum, T. *Polyan. Mon.* 8.
canum, Dun. p. 5, 6.
+ guttatum, Mill. a. 6, 7.
ledifolium, Willd. a. 6, 7.

Helianthemum, Tourn.
polifolium, Benth.
5. vulgare, Gaert. p. 7
(tomentosum, Scop.
β. Surrejanum, L.
Helleborus, L. *Polyan.*
? 2. fœtidus, L. p. 3, 4.
viridis, L. p. 4, 5.
Helminthia, Juss. *Syn.*
1. echioides, Gaert. p.
Helosciadium, Koch, *Pent.*
4. inundatum, Koch, p.
nodiflorum, Koch, p.
2. repens, Koch, p. 7,
Heracleum, L. *Pent. Dig.*
6. Sphondylium, L. b.
β. angustifolium, Sm.
Herminium, Br. *Gyn. Mon.*
monorchis, Br. p. 6
Herniaria, L. *Pent. Dig.*
ciliata, Bab. p. 6-8.
+ glabra, L. p. 6-8.
Hesperis, L. *Tetrad. Siliq.*
3. matronalis, L. p. 5,
Hieracium, L. *Syn. Æq.*
alpinum, L. p. 7, 8.
β. villosum, Sm.
? 1. amplexicaule, L. p.
? 2. aurantiacum, L. p.
Auricula, L. p. 7.
boreale, Fries, (L.
p. 8, 9.
[illegible], L. p. 8.
2. denticulatum, Sm. p.
dubium, L. p. 7.
4. lævigatum, Willd. (
p. 8, 9.
6. murorum, L. p. 6.
β. pulmonarium, Sm.
γ. Lawsoni, Vill.
6. [illegible], L. p. 5-7.
β. Pelleterianum, (B. F. S.)
2. prenanthoides, Vill.
2. [illegible], L. p. 8, 9.
5. sylvaticum, Sm. p. 6.
β. maculatum, Sm.
γ. pictum, Schleich.
umbellatum, L. p. 8,
Vide Crepis.
Hierochloe, Gmel. *Tri. D*
borealis, Roem. p. 6,
Hippocrepis, L. *Diad. Dec.*
comosa, L. p. 5-9.
Hippophae, L. *Diœc. Tet.* 6
? 3. rhamnoides, L. s. 5.
Hippuris, L. *Monan. Mon.*
5. vulgaris, L. p. 5-7.
Holcus, L. *Tri. Dig.* 92.
6. lanatus, L. p. 6, 7.
5. mollis, L. p. 7.

IOLOSTEUM, L. *Tri. Trig.* 15.
umbellatum, L. *a.* 4.
IORDEUM, L. *Tri. Dig.* 92.
maritimum, With. *a.* 6, 7.
6. murinum, L. *a.* 6–8.
pratense, Huds. *p.* 6, 7.
(nodosum, L.)
[redacted], L. *Pent. Mon.* 62.
[redacted], L. *p.* 6.
IUMULUS, L. *Diœc. Pent.* 74.
? 3. Lupulus, L. *p.* 7.
IUTCHINSIA, Br. *Tetrad. Silic.* 6.
petræa, Br. *a.* 3, 4.
IYACINTHUS, *vide* AGRAPHIS.
IYDROCHARIS, L. *Diœc. Enn.* 77.
Morsus-ranæ, L. *p.* 7.
IYDROCOTYLE, L. *Pent. Dig.* 38.
5. vulgaris, L. *p.* 5, 6.
IYOSCYAMUS, L. *Pent. Mon.* 56.
3. niger, L. *b.* 7.
IYPERICUM, L. *Polyad. Pol.* 18.
‡ 1. [redacted], L. *s.* 7, 8.
barbatum, Jacq. *p.* 9, 10.
‡ 2. [redacted], L. *s.* 7, 8.
[redacted], Leers, *p.* 7, 8.
[redacted], L. *p.* 7, 8.
5. [redacted], L. *p.* 6, 7.
2. [redacted], L. *p.* 7.
+ linariifolium, Vahl, *p.* 7.
maculatum, Crantz, *p.* 7, 8.
montanum, L. *p.* 7.
6. [redacted], L. *p.* 7, 8.
6. [redacted], L. *p.* 7.
5. [redacted], L. *p.* 7, 8.
IYPOCHÆRIS, L. *Syn. Æq.* 46.
glabra, L. *a.* 6–8.
+ β. Balbisii, Bab. (B. F. S.)
maculata, L. *p.* 7.
6. radicata, L. *p.* 7.

BERIS, L. *Tetrad. Silic.* 6.
‡ 2. amara, L. *a.* 7.
LEX, L. *Tetran. Tetrag.* 49.
2. Aquifolium, L. *s.* 5, 6.
LLECEBRUM, L. *Pent. Mon.* 34.
verticillatum, L. *p.* 7.
MPATIENS, L. *Pent. Mon.* 22.
fulva, Nutt. *a.* 7, 8.
‡ 1. [redacted], L. *a.* 7, 8.
NULA, L. *Syn. Sup.* 46.
[redacted], DC. *b.* 7, 8.
erithmoides, L. *p.* 8.
[redacted], L. *p.* 7, 8.
RIS, L. *Tri. Mon.* 79.
! 1. fœtidissima, L. *p.* 5.
6. [redacted], L. *p.* 6, 7.
β. citrina.
tuberosa, L. (E. B. S.) *p.* 4.
[redacted], L. *Tetrad. Silic.* 6.
‡ 2. [redacted], L. *b.* 7.

ISNARDIA, L. *Tetran. Mon.* 30.
palustris, L. *a.* 7.
ISOLEPIS, Br. *Tri. Mon.* 91.
5. fluitans, Br. *p.* 6, 7.
Holoschœnus, R. & S. *p.* 9.
Savii, R. & S. *p.* 7, 8.
5. setacea, Br. *p.* 7, 8.

JASIONE, L. *Pent. Mon.* 47.
montana, L. *a.* 6, 7.
JUNCUS, L. *Hex. Mon.* 87.
6. acutiflorus Ehrh. *p.* 6–8.
(articulatus, Sm.)
acutus, L. *p.* 7.
balticus, Willd. *p.* 7, 8.
biglumis, L. *p.* 7, 8.
6. bufonius, L. *p.* 7, 8.
[redacted], Weig. *a.* 5–7.
castaneus, Sm. *p.* 7, 8.
2. compressus, Jacq. *p.* 7, 8.
6. conglomeratus, L. *p.* 7.
6. effusus, L. *p.* 7.
filiformis, L. *p.* 7, 8.
5. Gerardi, Lois. *p.* 7, 8.
(cœnosus, Sm.)
Gesneri, Sm. *p.* 7.
(tenuis, H. B. F.)
5. glaucus, Ehrh. *p.* 7.
6. [redacted], Ehrh. *p.* 7, 8.
maritimus, Lam. *p.* 8.
nigritellus, Don, *p.* 7, 8.
(polycephalus, Sm.)
1. obtusiflorus, Ehrh. *p.* 8.
6. squarrosus, L. *p.* 6, 7.
6. supinus, Moench, *p.* 6–8.
(uliginosus, H. B. F.)
5. β. repens, Koch.
γ. fluitans, Koch.
trifidus, L. *p.* 7, 8.
|| 3. triglumis, L. *p.* 7, 8.
JUNIPERUS, L. *Diœc. Monad.* 76.
5. communis, L. *s.* 5.
β. nana, Willd.

[redacted], Sm. *Tri. Dig.* 92.
[redacted], Sm. *a.* 3, 4.
KNAUTIA, L. *Tetran. Mon.* 45.
6. arvensis, Coult. *p.* 7.
KOBRESIA, Willd. *Monœc. Trian.* 91.
(Elyna, H. B. F.)
caricina, Willd. *p.* 8.
KŒLERIA, Pers. *Tri. Dig.* 92.
(Aira, H. B. F.)
5. cristata, Pers. *p.* 6-8.
KONIGA, Br. *Tetrad. Silic.* 6.
— maritima, Br. *p.* 8, 9.

LACTUCA, L. *Syn. Æq.* 46.
[redacted], Less. *p.* 7.

LACTUCA, L.
Saligna, L. *b.* 8.
Scariola, L. *b.* 8.
1. [redacted], L. *b.* 8, 9.
LAGURUS, L. *Tri. Dig.* 92.
ovatus, L. *a.* 6, 7.
LAMIUM, L. *Did. Gym.* 59.
6. album, L. *p.* 5-9.
6. amplexicaule, L. *a.* 4–8.
β. clandestinum, Reich.
1. Galeobdolon, Benth. *p.* 5, 6.
(Galeobd. luteum, H. B. F.)
5. incisum, Willd. *a.* 5–8.
3. intermedium, Fries, *a.* 4–8.
2. maculatum, L. *p.* 5, 6.
2. β. lævigatum, L.
(rugosum, Ait.)
6. purpureum, L. *a.* 5–8.
[redacted], L. *Syn. Æq.* 46.
6. [redacted], L. *a.* 6, 7.
Vide ARNOSERIS.
LATHRÆA, L. *Did. Ang.* 57.
4. squamaria, L. *p.* 4.
LATHYRUS, L. *Diœd. Dec.* 26.
Aphaca, L. *a.* 6-8.
hirsutus, L. *a.* 7.
? 1. latifolius, L. *p.* 7, 8.
maritimus, Big. *p.* 7.
β. acutifolius.
Nissolia, L. *a.* 5.
palustris, L. *p.* 7, 8.
6. pratensis, L. *p.* 7, 8.
? 1. sylvestris, L. *p.* 7, 8.
LAVATERA, L. *Monad. Pol.* 16.
1. arborea, L. *b.* 7–10.
LEMNA, L. *Dian. Mon.* 89.
2. gibba, L. *a.* 6–9.
6. minor, L. *a.* 6, 7.
2. polyrhiza, L. *a.* 7, 8.
5. trisulca, L. *a.* 6, 7.
LEONTODON, L. *Syn. Æq.* 46.
5. hispidum, L. *p.* 7.
(Apargia hispida, H. B. F.)
Vide TARAXACUM.
LEONURUS, L. *Did. Gym.* 59.
1. Cardiaca, L. *p.* 7, 8.
LEPIDIUM, L. *Tetrad. Silic.* 6.
5. campestre, Br. *a.* 7.
— Draba, Br. *p.* 6.
— 1. latifolium, L. *p.* 7.
— ? 1. ruderale, L. *a.* 6.
— || 2. Smithii, Hook. *p.* 6, 7.
LEPTURUS, Br. *Tri. Dig.* 92.
(Rottboellia, H. B. F.)
2. filiformis, Trin. *p.* 7, 8.
? 1. incurvatus, Trin. *a* 7, 8.
LEUCOJUM, L. *Hex. Mon.* 80.
æstivum, L. *p.* 5.
[redacted], L. *Pent. Dig.* 38.
4. [redacted], L. *p.* 7.
LIGUSTRUM, L. *Dian. Mon.* 50.
? 5. vulgare, L. *s.* 5 7.

LILIUM, L. *Hex. Mon.* 84.
Martagon, L. (E.B.S.) *p.* 7, 8.
LIMBARDA, Adans. *vide* INULA.
LIMOSELLA, L. *Did. Ang.* 58.
1. aquatica, L. *a.* 7, 8.
LINARIA, Juss. *Did. Ang.* 58.
? 5. Cymbalaria, Mill. *p.* 5–11.
Elatine, Desf. *a.* 7–9.
minor, Desf. *a.* 6–8.
† Pelisseriana, DC. (E. B. S.) *a.* 7.
‡ 2. purpurea, Mill. (A.S.) *p.* 7.
? 2. repens, Ait. *p.* 7–9.
spuria Mill. *a.* 7–9.
6. vulgaris, Mœnch, *a.* 6, 7.
2. *var.* Peloria.
LINNÆA, Gronov. *Did. Ang.* 42.
1. borealis, Gronov. *p.* 5–7.
LINOSYRIS, Cass. *Syn. Æq.* 46.
vulgaris, Cass. *p.* 8, 9.
LINUM, L. *Pent. Pentag.* 21.
angustifolium, Huds. *p.* 7.
6. catharticum, L. *a.* 6–8.
? 2. perenne, L. *p.* 6, 7.
? 3. usitatissimum, L. *a.* 7.
LIPARIS, Rich. *vide* STURMIA.
LISTERA, Br. *Gyn. Mon.* 78.
3. cordata, Br. *p.* 7.
5. ovata, Br. *p.* 6, 7.
Vide NEOTTIA.
LITHOSPERMUM, L. *Pent. Mon.* 55.
6. arvense, L. *a.* 5, 6.
3. officinale, L. *p.* 6, 7.
purpuro-cœruleum, L. *p.* 6, 7.
Vide STEENHAMMERA.
LITTORELLA, L. *Monœc. Tet.* 63.
3. lacustris, L. *p.* 6.
β. hirsuta, (L. F. S.)
LLOYDIA, Salisb. *Hex. Mon.* 83.
(Anthericum, H. B. F.)
serotina, Salisb. *p.* 6.
LOBELIA, L. *Pent. Mon.* 47.
‖ 2. Dortmanna, L. *p.* 7, 8.
urens, L. *p.* 8, 9.
LOLIUM, L. *Tri. Dig.* 92.
6. perenne, L. *p.* 6, 7.
β. tenue, L.
1. temulentum, L. *a.* 7.
β. arvense, With.
LONICERA, L. *Pent. Mon.* 42.
3. Caprifolium, L. *s.* 5, 6.
5. Periclymenum, L. *s.* 6–9.
? 2. Xylosteum, L. *s.* 7.
LOTUS, L. *Diad. Dec.* 26.
† angustissimus, L. *a.* 5, 6.
β. Seringianus, Bab.
6. corniculatus, L. *p.* 6–9.
β. villosus, Thuill.
γ. crassifolius, Pers.
2. δ. tenuis, W. & K.
(decumbens, Forst.)
LOTUS, L.
† hispidus, Desf. (E. B. S.) *a.* 5, 6.
6. uliginosus, Scop. *p.* 7, 8.
LUZULA, DC. *Hex. Mon.* 87.
arcuata, Hook. *p.* 7, 8.
6. campestris, Br. *p.* 4, 5.
5. β. congesta, Lej.
Forsteri, DC. *p.* 5, 6.
5. pilosa, Willd. *p.* 3–5.
spicata, DC. *p.* 7, 8.
5. sylvatica, Bich. *p.* 5, 6.
(maxima, DC.)
LYCHNIS, L. *Dec. Pent.* 15.
alpina, L. *p.* 6, 7.
6. diurna, Sibth. *p.* 5, 6.
(dioica, H. B. F.)
6. Flos-cuculi, L. *p.* 6.
5. Githago, Lam. *a.* 6, 7.
(Agrostemma Githago, H. B. F.)
6. vespertina, Sibth. *p.* 6–8.
(dioica, β. H. B. F.)
4. Viscaria, L. *p.* 5, 6.
LYCOPSIS, L. *Pent. Mon.* 55.
6. arvensis, L. *a.* 6, 7.
LYCOPUS, L. *Dian. Mon.* 59.
2. europæus, L. *p.* 6–8.
LYSIMACHIA, L. *Pent. Mon.* 62.
5. nemorum, L. *p.* 5–9.
? 2. Nummularia, L. *p.* 6, 7.
‖ 2. thyrsiflora, L. *p.* 7.
1. vulgaris, L. *p.* 7.
LYTHRUM, L. *Dod. Mon.* 28.
hyssopifolium, L. *a.* 8.
2. Salicaria, L. *p.* 7, 8.

MALAXIS, Sw. *Gyn. Mon.* 78.
1. paludosa, Sw. *p.* 7.
MALCOLMIA, Br. *Tetrad. Siliq.* 6.
‡ 1. maritima, Br. (A.S.) *a.* 6.
MALVA, L. *Monad. Pol.* 16.
borealis, Wallm. *a.* 6–9.
(pusilla, Sm.)
2. moschata, L. *p.* 7, 8.
5. rotundifolia, L. *a.* 6–9.
6. sylvestris, L. *p.* 5–8.
MARRUBIUM, L. *Did. Gym.* 59.
1. vulgare, L. *p.* 7, 8.
MATRICARIA, L. *Syn. Sup.* 46.
2. Chamomilla, L. *a.* 5–7.
MATTHIOLA, Br. *Tetrad. Siliq.* 6.
incana, Br. *s.* 5, 6.
sinuata, Br. *b.* 8.
MEDEOLA, Vig. *Polyan. Mon.* 4.
? 2. cambrica, Vig. *p.* 6.
MEDICAGO, L. *Diad. Dec.* 26.
denticulata, Willd. *a.* 4–6.
β. apiculata.
(brevispina, B. F. S.)
falcata, L. *p.* 6, 7.
MEDICAGO, L.
6. lupulina, L. *a.* 5–8.
3. maculata, Sibth. *a.* 5–7.
minima, Lam. *a.* 6, 7.
β. canescens, DC.
muricata, All. *a.* 6, 7.
? 3. sativa, L. *p.* 6, 7.
MELAMPYRUM, L. *Did. Ang.* 58.
arvense, L. *a.* 7.
cristatum, L. *a.* 7.
6. pratense, L. *a.* 7, 8.
2. β. montanum, Johnst.
1. sylvaticum, L. *a.* 7, 8.
MELICA, L. *Tri. Dig.* 92.
2. nutans, L. *p.* 5–7.
5. uniflora, L. *p.* 5–7.
Vide MOLINIA.
MELILOTUS, Tourn. *Diad. Dec.*
3. officinalis, Lam. *a.* 6, 7.
3. vulgaris, Willd. *b.* 7, 8.
(leucantha, H. B. F.)
MELISSA, L. *Did. Gym.* 59.
officinalis, L. (A.S.) *p.* 7.
MELITTIS, L. *Did. Gym.* 59.
Melissophyllum, L. *p.* 5
(grandiflora, Sm.)
MENTHA, L. *Did. Gym.* 59.
6. aquatica, L. *p.* 8, 9.
β. citrata, Bab.
6. arvensis, L. *p.* 6–9.
β. agrestis.
1. piperita, L. *p.* 8, 9.
β. sylvestris, Sole.
pratensis, Sole, *p.* 8, 9.
(gracilis, Sm.)
Pulegium, L. *p.* 9.
rotundifolia, L. *p.* 8, 9.
β. velutina, Bab. MS.
6. sativa, L. *p.* 8, 9.
2. β. rubra.
1. γ. gentilis.
δ. acutifolia, Bab.
sylvestris, L. *p.* 8, 9.
2. viridis, L. *p.* 8, 9.
‖ 2. β. crispa, Benth.
MENYANTHES, L. *Pent. Mon.*
5. trifoliata, L. *p.* 6, 7.
MENZIESIA, Sm. *Oct. Mon.* 48.
cærulea, Sm. *s.* 6, 7.
Vide DABŒCIA.
MERCURIALIS, L. *Diœc. Enn.*
3. annua, L. *a.* 7–9.
β. ambigua, L. fil.
6. perennis, L. *p.* 4, 5.
MESPILUS, L. *Icos. Pent.* 27.
germanica, L. *t.* 5, 6.
MEUM, Tourn. *Pent. Dig.* 38.
‖ 2. athamanticum, Jacq. *p.* 5
MILIUM, L. *Tri. Dig.* 92.
5. effusum, L. *p.* 6, 7.

MŒHRINGIA, L. *Dec. Trig.* 15.
(Arenaria, H. B. F.)
5. trinervis, Clair. *a.* 5, 6.
MŒNCHIA, Ehrh. *Tetran. Tet.* 15.
— erecta, Sm. *a.* 5.
MOLINIA, Schrk. *Tri. Dig.* 92.
6. cærulea, Mœnch, *p.* 8.
β. alpina, Don.
(depauperata, Lindl.)
MONESES, Salisb. *Dec. Mon.* 48.
grandiflora, Salisb. *b.* 7.
(Pyrola uniflora, H. B. F.)
MONOTROPA, L. *Dec. Mon.* 48.
Hypopitys, L. *p.* 6–8.
MONTIA, L. *Tri. Trig.* 33.
5. fontana, L. *a.* 5–7.
β. major.
MUSCARI, Tourn. *Hex. Mon.* 83.
‡ 1. racemosum, Mill. *p.* 5.
MYOSOTIS, L. *Pent. Mon.* 55.
alpestris, Schmidt, *p.* 7, 8.
6. arvensis, Hoffm. *a.* 6–8.
(intermedia, Link.)
5. cæspitosa, Schult. *a* or *b.* 5, 6.
5. collina, Hoffm. *a.* 4, 5.
5. palustris, Roth, *p.* 6–8.
2. repens, Don, *p.* 5–8.
5. sylvatica, Hoffm. *p.* 6, 7.
6. versicolor, Lehm. *a.* 4–6.
MYOSURUS, L. *Pent. Pol.* 1.
— minimus, L. *a.* 5.
MYRICA, L. *Diœc. Tet.* 75.
4. Gale, L. *s.* 5.
MYRIOPHYLLUM, L. *Monœc. Pol.* 31.
┼ 1. alterniflorum, DC. (B. F. S.) *p.* 7.
5. spicatum, L. *p.* 7, 8.
verticillatum, L. *p.* 7.
MYRRHIS, Tourn. *Pent. Dig.* 38.
5. odorata, Scop. *p.* 5, 6.

NARCISSUS, L. *Hex. Mon.* 80.
‖ ¶ 1. biflorus, Curt. *p.* 4, 5.¶
poeticus, L. *p.* 5.
¶ 2. Pseudo-narcissus, L. *p.* 3, 4.
NARDUS, L. *Tri. Mon.* 92.
6. stricta, L. *p.* 6, 7.
NARTHECIUM, Huds. *Hex. Mon.* 87.
5. ossifragum, Huds. *p.* 7, 8.
NASTURTIUM, Br. *Tetrad. Siliq.* 6.
1. amphibium, Br. *p.* 6–8.
anceps, Reich. (A.S.) *p.* 6–9.
6. officinale, Br. *p.* 6, 7.
β. microphyllum, Reich.
γ. silifolium, Reich.
—2. sylvestre, Br. *p.* 6–9.
3. terrestre, Br. *a.* 6–9.
[illegible] L. *Gyn. Mon.* 78.
([illegible], H. B. F.)
3. [illegible], Rich. *p.* 5, 6.
[illegible]

NEPETA, L. *Did. Gym.* 59.
cataria, L. *p.* 7.
NUPHAR, Sm. *Polyan. Mon.* 3.
2. [illegible] Sm. *p.* 7.
pumila, Hoffm. *p.* 7.
[illegible], L. *Polyan. Mon.* 3.
2. [illegible], L. *p.* 7, 8.

ŒNANTHE, L. *Pent. Dig.* 38.
5. crocata, L. *p.* 7.
fistulosa, L. *p.* 7, 8.
peucedanifolia, Poll. *p.* 6.
1. Phellandrium, Spreng. *b.* or *p.* ¶ 6, 7.
‖ 2. pimpinelloides, L. *p.* 7.
ŒNOTHERA, L. *Oct. Mon.* 30.
¶ 2. biennis, L. *b.* 7–9.
ONOBRYCHIS, Tourn. *Diad Dec.* 26.
‡ 2. sativa, Lam. *p.* 6, 7.
ONONIS, L. *Diad. Dec.* 26.
5. antiquorum, L. *p.* 6–8.
5. arvensis, L. *p* 6–8.
reclinata, L. *a.* 7.
ONOPORDUM, L. *Syn Æq.* 46.
2. Acanthium, L. *b.* 7, 8.
OPHRYS, L. *Gyn. Mon.* 78.
apifera, Huds. *p.* 7.
arachnites, Willd. *p.* 7.
aranifera, Huds. *p.* 7.
β. fucifera, Sm.
muscifera, Huds. *p.* 6.
OPLISMENUS, Beauv. *Tri. Dig.* 92.
(Panicum, H. B. F.)
Crus-galli, Kunth, *a.* 7.
OPORINIA, Don, *Syn. Æq.* 46.
(Apargia, H. B. F.)
5. autumnalis, Don, *p.* 8.
β. Taraxaci, Hook.
ORCHIS, L. *Gyn Mon.* 78.
fusca, Jacq. *p.* 5.
hircina, Scop. *p.* 7.
5. latifolia, L. *p.* 5, 6.
β. majalis, Reich. (L. F. S.)
┼ laxiflora, Lam. (E. B. S.) *p.* 6, 7.
macra, Lindl. *p.* 5.
6. maculata, L. *p.* 6, 7.
6. mascula, L. *p.* 4, 5.
militaris, L. *p.* 5.
Morio, L. *p.* 5, 6.
‖ 1. pyramidalis, L. *p.* 7.
ustulata, L. *p.* 6.
ORIGANUM, L. *Did. Gym.* 59.
5. vulgare, L. *p.* 7, 8.
ORNITHOGALUM, L. *Hex. Mon.* 83.
nutans, L. *p.* 4, 5.
pyrenaicum, L. *p.* 6.
¶ 2. umbellatum, L. *p.* 4, 5.
ORNITHOPUS, L. *Diad Dec* 26.
2. perpusillus, L. *a.* 5, 6.

OROBANCHE, L. *Did. Ang.* 57.
┼ barbata, Poir. (B.F.S.) *p.* 7, 8.
┼ cærulea, Vill. *p.* 7.
caryophyllacea, Sm. *p.* 7.
elatior, Sutt. *p.* 7, 8.
major, L. *p.* 6, 7.
minor, Sm. *a.* ¶ 7, 8.
ramosa, L. *a.* 7–9.
1. rubra, Sm. *p.* 7, 8.
OROBUS, L. *Diad. Dec.* 26.
niger, L. *p.* 6, 7.
2. sylvaticus, L. *p* 5, 6.
6. tuberosus, L. *p.* 5, 6.
2. β. tenuifolius, Roth.
OXALIS, L. *Dec. Pent.* 23.
6. Acetosella, L. *p.* 4, 5.
corniculata, L. *a.* 5–10.
stricta, L. (A. S.) *a.* 7.
OXYRIA, Hill, *Hex. Dig.* 67.
reniformis, Hook. *p.* 6–8.
OXYTROPIS, DC. *Diad. Dec.* 26.
[illegible], DC. *p.* 7.
2. uralensis, DC. *p.* 6, 7.

PÆONIA, L. *Polyan. Pent.* 1.
corallina, Retz. *p.* 5, 6.
PANICUM, *vide* OPLISMENUS.
PAPAVER, L. *Polyan. Mon.* 4.
Argemone, L. *a.* 6, 7.
6. dubium, L. *a.* 6, 7.
— hybridum, L. *a.* 7.
6. Rhœas, L. *a.* 6, 7.
1. β. strigosum, Bönn. (B.F.S.)
‡ 2. somniferum, L. *a.* 7.
PARIETARIA, L. *Tetran. Mon.* 74.
5. officinalis, L. *p.* 6–9.
PARIS, L. *Oct. Tet.* 82.
1. quadrifolia, L. *p.* 5, 6.
PARNASSIA, L. *Pent. Tet.* 10.
5. palustris, L. *p.* 8–10.
PASTINACA, L. *Pent. Dig.* 38.
¶ 2. sativa, L. *b.* 7.
PEDICULARIS, L. *Did. Ang.* 58.
6. palustris, L. *p.* or *b.* 6, 7.
6. sylvatica, L. *p.* or *b.* 6, 7.
PEPLIS, L. *Hex. Mon.* 28.
5. Portula, L. *a.* 7, 8.
PETASITES, Gaert. *Syn. Sup.* 46.
6. vulgaris, Desf. *p.* 4.
(hybrida, L.)
PETROSELINUM, Hoff. *Pent. Dig.* 38.
¶ 2. sativum, Koch, *b.* 6, 7.
segetum, Koch, *a.* or *b.* ¶ 8.
PEUCEDANUM, L. *Pent. Dig.* 38.
officinale, L. *p.* 7–9.
2. Ostruthium, Koch, *p.* 6.
palustre, Mœnch, *p.* or *b.* ? 7.
PHALARIS, L. *Tri. Dig.* 92.
6. arundinacea, L. *p.* 7, 8.
β. picta, L.
¶ 2. canariensis, L. *a.* 6, 7.

[illegible], L. [illegible]
[illegible], L. [illegible]
4. [illegible], L. [illegible]
[illegible], L. [illegible]
[illegible], Schrad. [illegible]
[illegible], L. [illegible]
[illegible], L. [illegible]
[illegible], L

QUERCUS, L.
? 5. Robur, L. *t.* 4.
? 3. sessiliflora, Salisb. *t.* 4, 5.

RADIOLA, Gmel. *Tetran. Tetrag.* 21.
|| 2. Millegrana, Sm. *a.* 7, 8.
RANUNCULUS, L. *Polyan. Pol.* 1.
— 6. acris, L. *p.* 6, 7.
[redacted], L. *p.* 5.
5. [redacted], L. *p.* 5, 6.
4. β. pantothrix, Bab.
2. arvensis, L. *a.* 6.
5. [redacted], L. *p.* 4, 5.
5. [redacted], L. *p.* 5.
4. circinatus, Sibth. (A.S.) *p.* 6.
6. [redacted], L. *p.* 4.
6. [redacted], L. *p.* 6–9.
β. serratus, Sm.
[redacted], Lam. (A. S.) *p.* 6.
gramineus, L. *p.* 5, 6.
5. [redacted], L. *p.* 5–8.
— 2. hirsutus, Curt. *a.* 6–10.
β. parvulus, Sm.
4. [redacted], L. *p.* 7.
+ ophioglossifolius, Vill.
(E. B. S.) *p.* 7.
[redacted], L. *a.* 5, 6.
6. repens, L. *p.* 6–8.
reptans, L. *p.* 6–9.
5. [redacted], L. *a.* 6–8.
RAPHANUS, L. *Tetrad. Siliq.* 6.
— maritimus, Sm. *b.* 5, 6.
6. [redacted], L. *a.* 6, 7.
RESEDA, L. *Dod. Trig.* 7.
? 1. alba, L. *a.* 6.
‡ 2. fruticulosa, L. *p.* 6, 7.
4. [redacted], L. *a.* 7, 8.
6. [redacted], L. *a.* 7.
RHAMNUS, L. *Pent. Mon.* 25.
catharticus, L. *s.* 5, 6.
Frangula, L. *s.* 5.
RHINANTHUS, L. *Did. Ang.* 58.
6. [redacted], L. *a.* 6, 7.
major, Ehrh. *a.* 7.
~~RHODIOLA, L. vide SEDUM.~~
RHYNCHOSPORA, Vahl, *Tri. Mon.* 91.
|| 2. alba, Vahl, *p.* 6–8.
fusca, Sm. *p.* 7, 8.
RIBES, L. *Pent. Mon.* 36.
? 2. alpinum, L. *s.* 5.
Grossularia, L. *s.* 5.
β. Uva-crispa, L.
? 2. nigrum, L. *s.* 5.
petræum, Wulf. *s.* 5, 6.
(spicatum, Robs. ?)
? 3. rubrum, L. *s.* 5.
ROEMERIA, DC. *Polyan. Mon.* 4.
hybrida, DC. *a.* 5, 6.
(Glaucium violaceum, H.B.F.)

ROSA, L. *Icos. Pol.* 27.
3. arvensis, Huds. *s.* 6, 7.
β. glandulosa.
γ. flexuosa.
bractescens, Woods, *s.* 6, 7.
cæsia, Sm. *s.* 6, 7.
β. incana.
6. canina, L. *s.* 6, 7.
β. sarmentacea, Sw.
γ. surculosa, Woods.
δ. dumetorum, Thu.
ι. Forsteri, Sm.
(collina Jacq.)
? 2. cinnamomea, L. *s.* 5, 6.
2. Dicksoni, Lindl. *s.* 6.
hibernica, Sm. *s.* 6–11.
inodora, Fries, *s.* 6, 7.
(Borreri, Woods.
dumetorum, Sm.)
β. hirsuta.
γ. glandulosa.
involuta, Sm. *s.* 6.
micrantha, Sm. *s.* 6, 7.
rubella, Sm. *s.* 5.
5. rubiginosa, L. *s.* 6, 7.
2. Sabini, Woods, *s.* 6.
2. β. Doniana, Woods.
γ. gracilis, Woods.
sepium, Thuil. *s.* 6, 7.
6. spinosissima, L. *s.* 5.
β. pilosa, Lindl.
systyla, Woods, *s.* 6, 7.
(collina, Sm.)
β. nitida.
γ. glauca.
6. tomentosa, Sm. *s.* 6, 7.
(Sherardi, Dav.)
β. scabriuscula, Winch.
5. villosa, L. *s.* 6, 7.
Wilsoni, Borr. *s.* 6, 7.
ROTTBOELLIA, *vide* LEPTURUS.
[redacted] L. *Tetran. Mon.* 43.
[redacted], L. *p.* 6–8.
RUBUS, L. *Icos. Pol.* 27.
affinis, W. et N. *s.* 7–9.
arcticus, L. *p.* 6.
argenteus, W. et N. (B.F.S.)
s. 7–9.
cæsius, L. *s.* 6, 7.
β. dumetorum, W. et N.
carpinifolius, W. et N. *s.* 7, 8.
2. Chamæmorus, L. *p.* 6.
5. corylifolius, Sm. *s.* 7, 8.
fissus, Lindl. *s.* 7–9.
6. fruticosus, L. *s.* 7, 8.
5. idæus, L. *s.* 5, 6.
Köhleri, W. et N. *s.* 7, 8.
β. fusco-ater, W. et N.
γ. pallidus, W. et N.
Leightoni, Lees, (L.F.S.) *s.* 7.
leucostachys, Sm. *s.* 7, 8.
macrophyllus, W. & N. *s.* 7, 8.

RUBUS, L.
plicatus, W. et N. *s.* 6–8.
Radula, W. et N. *s.* 7–9.
rhamnifolius, W. et N. *s.* 7, 8.
rudis, W. et N. *s.* 7, 8.
2. saxatilis, L. *p.* 6.
Schleicheri, W. et N. (L.F.S.)
s. 7–9.
suberectus, And. *s.* 6–8.
sylvaticus, W. et N. *s.* 7–9.
villicaulis, Köhl. (L.F.S.) *s.*
7–9.
vulgaris, W. et N. *s.* 7–9.
RUMEX, L. *Hex. Trig.* 67.
6. acetosa, L. *p.* 6, 7.
6. Acetosella, L. *p.* 5–7.
? 2. alpinus, L. *p.* 7.
4. aquaticus, L. *p.* 7.
6. conglomeratus, Murr. *p.* 7.
(acutus, H. B. F.)
6. crispus, L. *p.* 6, 7.
Hydrolapathum, Huds. *p.* 8.
2. maritimus, L. *p.* 7, 8.
6. obtusifolius, L. *p.* 7, 8.
palustris, Sm. *p.* 7, 8.
pratensis, M. et K. *p.* 6, 7.
pulcher, L. *p.* 8.
2. sanguineus, L. *p.* 7.
2. β. viridis, Sibth.
(Nemolapathum, Ehrh.)
? 2. scutatus, L. (A. S.) *p.* 6, 7.
RUPPIA, L. *Tetran. Tetrag.* 90.
2. maritima, L. *p.* 7–9.
β. rostellata, Koch.
RUSCUS, L. *Diœc. Trian.* 82.
? 2. aculeatus, L. *p.* 3, 4.

SAGINA, L. *Tetran. Tetrag.* 15.
— 2. apetala, L. *a.* 5, 6.
— β. glabra, Bab. (B.F.S.)
— 5. maritima, Don, *a.* 5–8.
— 5. procumbens, L. *p.* 5–8.
β. spinosa, Bab.
[redacted], L. *Monœc. Pol.* 88.
[redacted], L. *p.* 7, 8.
SALICORNIA, L. *Monan. Mon.* 66.
5. herbacea, L. *a.* 8, 9.
β. procumbens, Sm.
radicans, Sm. *p.* 8, 9.
β. fruticosa, Sm.
SALIX, L. *Diœc. Dian.* 75.
2. acuminata, Sm. *s.* 4.
5. alba, L. *s.* 5.
5. β. cærulea, Sm.
ambigua, Ehrh. *s.* 5.
β. sericea.
γ. spathulata, Willd.
amygdalina, L. *s.* 4–8.
5. Andersoniana, Sm. *s.* 5, 6.
angustifolia, Wulf. ? *s.* 4.
2. aquatica, Sm. *s.* 4.
1. arenaria, L. *s.* 6.

LILIUM, L. *Hex. Mon.* 84.
Martagon, L. (E.B.S.) *p.* 7, 8.
LIMBARDA, Adans. *vide* INULA.
LIMOSELLA, L. *Did. Ang.* 58.
1. aquatica, L. *a.* 7, 8.
LINARIA, Juss. *Did. Ang.* 58.
? 5. Cymbalaria, Mill. *p.* 5–11.
Elatine, Desf. *a.* 7–9.
minor, Desf. *a.* 6–8.
+ Pelisseriana, DC. (E. B. S.) *a.* 7.
‡ 2. purpurea, Mill. (A. S.) *p.* 7.
? 2. repens, Ait. *p.* 7–9.
spuria Mill. *a.* 7–9.
6. vulgaris, Mœnch, *a.* 6, 7.
2. *var.* Peloria.
LINNÆA, Gronov. *Did. Ang.* 42.
1. borealis, Gronov. *p.* 5–7.
LINOSYRIS, Cass. *Syn. Æq.* 46.
vulgaris, Cass. *p.* 8, 9.
LINUM, L. *Pent. Pentag.* 21.
angustifolium, Huds. *p.* 7.
6. catharticum, L. *a.* 6–8.
? 2. perenne, L. *p.* 6, 7.
? 3. usitatissimum, L. *a.* 7.
LIPARIS, Rich. *vide* STURMIA.
LISTERA, Br. *Gyn. Mon.* 78.
3. cordata, Br. *p.* 7.
5. ovata, Br. *p.* 6, 7.
Vide NEOTTIA.
LITHOSPERMUM, L. *Pent. Mon.* 55.
6. arvense, L. *a.* 5, 6.
3. officinale, L. *p.* 6, 7.
purpuro-cœruleum, L. *p.* 6, 7.
Vide STEENHAMMERA.
LITTORELLA, L. *Monœc. Tet.* 63.
3. lacustris, L. *p.* 6.
β. hirsuta, (L. F. S.)
LLOYDIA, Salisb. *Hex. Mon.* 83.
(Anthericum, H. B. F.)
serotina, Salisb. *p.* 6.
LOBELIA, L. *Pent. Mon.* 47.
‖ 2. Dortmanna, L. *p.* 7, 8.
urens, L. *p.* 8, 9.
LOLIUM, L. *Tri. Dig.* 92.
6. perenne, L. *p.* 6, 7.
β. tenue, L.
1. temulentum, L. *a.* 7.
β. arvense, With.
LONICERA, L. *Pent. Mon.* 42.
3. Caprifolium, L. *s.* 5, 6.
5. Periclymenum, L. *s.* 6–9.
? 2. Xylosteum, L. *s.* 7.
LOTUS, L. *Diad. Dec.* 26.
+ angustissimus, L. *a.* 5, 6.
β. Seringianus, Bab.
6. corniculatus, L. *p.* 6–9.
β. villosus, Thuill.
γ. crassifolius, Pers.
2. δ. tenuis, W. & K.
(decumbens, Forst.)

LOTUS, L.
+ hispidus, Desf. (E. B. S.) *a.* 5, 6.
6. major, Scop. *p.* 7, 8.
LUZULA, DC. *Hex. Mon.* 87.
arcuata, Hook. *p.* 7, 8.
6. campestris, Br. *p.* 4, 5.
5. β. congesta, Lej.
Forsteri, DC. *p* 5, 6.
5. pilosa, Willd. *p.* 3–5.
spicata, DC. *p.* 7, 8.
5. sylvatica, Bich. *p.* 5, 6.
(maxima, DC.)
LYCHNIS, L. *Dec. Pent.* 15.
alpina, L. *p.* 6, 7.
6. diurna, Sibth. *p.* 5, 6.
(dioica, H. B. F.)
6. Flos-cuculi, L. *p.* 6.
5. Githago, Lam. *a.* 6, 7.
(Agrostemma Githago, H. B. F.)
6. vespertina, Sibth. *p.* 6–8.
(dioica, β. H. B. F.)
4. Viscaria, L. *p.* 5, 6.
LYCOPSIS, L. *Pent. Mon.* 55.
6. arvensis, L. *a.* 6, 7.
LYCOPUS, L. *Dian. Mon.* 59.
2. europæus, L. *p.* 6–8.
LYSIMACHIA, L. *Pent. Mon.* 62.
5. nemorum, L. *p.* 5–9.
? 2. Nummularia, L. *p.* 6, 7.
‖ 2. thyrsiflora, L. *p.* 7.
1. vulgaris, L. *p.* 7.
LYTHRUM, L. *Dod. Mon.* 28.
hyssopifolium, L. *a.* 8.
2. Salicaria, L. *p.* 7, 8.

MALAXIS, Sw. *Gyn. Mon.* 78.
1. paludosa, Sw. *p.* 7.
MALCOLMIA, Br. *Tetrad. Siliq.* 6.
‡ 1. maritima, Br. (A.S.) *a.* 6.
MALVA, L. *Monad. Pol.* 16.
borealis, Wallm. *a.* 6–9.
(pusilla, Sm.)
2. moschata, L. *p.* 7, 8.
5. rotundifolia, L. *a.* 6–9.
6. sylvestris, L. *p.* 5–8.
MARRUBIUM, L. *Did. Gym.* 59.
1. vulgare, L. *p.* 7, 8.
MATRICARIA, L. *Syn. Sup.* 46.
2. Chamomilla, L. *a.* 5–7.
MATTHIOLA, Br. *Tetrad. Siliq.* 6.
incana, Br. *s.* 5, 6.
sinuata, Br. *b.* 8.
MECONOPSIS, Vig. *Polyan. Mon.* 4.
? 2. cambrica, Vig. *p.* 6.
MEDICAGO, L. *Diad. Dec.* 26.
denticulata, Willd. *a.* 4–6.
β. apiculata.
(brevispina, B. F. S.)
falcata, L. *p.* 6, 7.

MEDICAGO, L.
6. lupulina, L. *a.* 5–8.
3. maculata, Sibth. *a.* 5–7.
minima, Lam. *a.* 6, 7.
β. canescens, DC.
muricata, All. *a.* 6, 7.
? 3. sativa, L. *p.* 6, 7.
MELAMPYRUM, L. *Did. Ang.* 58.
arvense, L. *a.* 7.
cristatum, L. *a.* 7.
6. pratense, L. *a.* 7, 8.
2. β. montanum, Johnst.
1. sylvaticum, L. *a.* 7, 8.
MELICA, L. *Tri. Dig.* 92.
2. nutans, L. *p.* 5–7.
5. uniflora, L. *p.* 5–7.
Vide MOLINIA.
MELILOTUS, Tourn. *Diad. Dec.* 2
3. officinalis, Lam. *a.* 6, 7.
3. vulgaris, Willd. *b.* 7, 8.
(leucantha, H. B. F.)
MELISSA, L. *Did. Gym.* 59.
officinalis, L. (A. S.) *p.* 7,
MELITTIS, L. *Did. Gym.* 59.
Melissophyllum, L. *p.* 5,
(grandiflora, Sm.)
MENTHA, L. *Did. Gym.* 59.
6. aquatica, L. *p.* 8, 9.
β. citrata, Bab.
6. arvensis, L. *p.* 6–9.
β. agrestis.
1. piperita, L. *p.* 8, 9.
β. sylvestris, Sole.
pratensis, Sole, *p.* 8, 9.
(gracilis, Sm.)
Pulegium, L. *p.* 9.
rotundifolia, L. *p.* 8, 9.
β. velutina, Bab. MS.
6. sativa, L. *p.* 8, 9.
2. β. rubra.
1. γ. gentilis.
δ. acutifolia, Bab.
sylvestris, L. *p.* 8, 9.
2. viridis, L *p.* 8, 9.
‖ 2. β. crispa, Benth.
MENYANTHES, L. *Pent. Mon.* 5
5. trifoliata, L. *p.* 6, 7.
MENZIESIA, Sm. *Oct. Mon.* 48.
cærulea, Sm. *s.* 6, 7.
Vide DABŒCIA.
MERCURIALIS, L. *Diœc. Enn.* 7
3. annua, L. *a.* 7–9.
β. ambigua, L. fil.
6. perennis, L. *p.* 4, 5.
MESPILUS, L. *Icos. Pent.* 27.
germanica, L. *t.* 5, 6.
MEUM, Tourn. *Pent. Dig.* 38.
‖ 2. athamanticum, Jacq. *p.* 5
MILIUM, L. *Tri. Dig.* 92.
5. effusum, L. *p.* 6, 7.

[redacted] L. *Did. Gym.* 59.
2. [redacted], *p.* 7, 8.
[redacted], L. *p.* 7, 8.
SEDUM, L. *Dec. Pent.* 35.
6. acre, L. *p.* 6.
‡ 2. album, L. *p.* 7.
2. anglicum, Huds. *a.* 6, 7.
2. dasyphyllum, L. *p.* 6.
Forsterianum, Sm. *p.* 6, 7.
glaucum, Don, *p.* 7, 8.
1. reflexum, L. *p.* 7.
Rhodiola, DC. *p.* 6.
(Rhodiola rosea, H. B. F.)
rupestre, L. *p.* 7.
sexangulare, L. *p.* 7.
3. Telephium, L. *p.* 8.
5. villosum, L. *p.* 6, 7.
SEMPERVIVUM, L. *Dod. Dod.* 35.
‡ 2. tectorum, L. *p.* 7.
SENEBIERA, DC. *Tetrad. Silic.* 6.
(Coronopus, H. B. F.)
— 4. Coronopus, DC. *a.* 6-9.
(C. Ruellii, H. B. F.)
— ‡ 1. didyma, Sm. *a.* 7.
SENECIO, L. *Syn. Sup.* 46.
5. aquaticus, Huds. *p.* 7, 8.
+ 3. β. erraticus, Bert. (B.F.S.)
[redacted], L. *p.* 7, 8.
([redacted], H. B. F.)
6. [redacted], L. *p.* 7, 8.
paludosus, L. *p.* 6, 7.
‡ 2. saracenicus, L. *p.* 7, 8.
squalidus, L. *a.* 6-10.
5. sylvaticus, L. *a.* 7.
2. β. lividus, L.
5. viscosus, L. *a.* 7-10.
6. vulgaris, L. *a.* 2-11.
β. radiatus, Koch, (B.F.S.)
SERRATULA, L. *Syn. Æq.* 46.
tinctoria, L. *p.* 7, 8.
SESELI, L. *Pent. Dig.* 38.
Libanotis, Koch, *p.* 8.
[redacted], Scop. *Tri. Dig.* 92.
[redacted], Scop. *p.* 4-6.
SETARIA, Beauv. *Tri. Dig.* 92.
verticillata, Beauv. *a.* 7, 8.
‡ 1. viridis, Beauv. *a.* 7, 8.
[redacted], L. *Tetran. Mon.* 43.
6. [redacted], L. *a.* 6-8.
SIBBALDIA, L. *Pent. Pentag.* 27.
procumbens, L. *p.* 7, 8.
SIBTHORPIA, L. *Did. Ang.* 58.
europæa, L. *p.* 7, 8.
SILAUS, Bess. *Pent. Dig.* 38.
4. pratensis, Bess. *p.* 8, 9.
SILENE, L. *Dec. Trig.* 15.
acaulis, L. *p.* 6, 7.
— 2. anglica, L. *a.* 6, 7.
‡ 2. Armeria, L. *a.* 7, 8.
— 2. conica, L. *a.* 6, 7.
6. inflata, Sm. *p.* 6-8.
β. hirsuta.
SILENE, L.
italica, DC. *p.* 6, 7.
5. maritima, With. *p.* 6-9.
— 2. noctiflora, L. *a.* 7.
— 2. nutans, L. *p.* 6, 7.
Otites, Sm. *p.* 6-8.
— quinquevulnera, L. *a.* 6, 7.
SILYBUM, Gært. *Syn. Æq.* 46.
2. Marianum, Gært. *a.* 6, 7.
(Carduus Mar. H. B. F.)
SINAPIS, L. *Tetrad. Siliq.* 6.
— 5. alba, L. *a.* 6.
— 6. arvensis, L. *a.* 5.
β. retrohirsuta, Reich.
+ Cheiranthus, Koch, (E.B.S.)
b. 7, 8.
monensis, Bab. *p.* 6, 7.
(Brassica monens. H.B.F.)
Vide BRASSICA,
DIPLOTAXIS & ERUCASTRUM.
SISON, L. *Pent. Dig.* 38.
Amomum, L. *a.* or *b.* ‡ 8.
SISYMBRIUM, L. *Tetrad. Siliq.* 6.
— Irio, L. *a.* 7, 8.
— 6. officinale, L. *a.* 6, 7.
5. Sophia, L. *a.* 7-9.
— 6. thalianum, Gaud. *a.* 4, 5.
SIUM, L. *Pent. Dig.* 38.
5. angustifolium, L. *p.* 7, 8.
2. latifolium, L. *p.* 7, 8.
SMYRNIUM, L. *Pent. Dig.* 38.
‡ 2. Olusatrum, L. *b.* 5, 6.
SOLANUM, L. *Pent. Mon.* 56.
5. [redacted], L. *s.* 6, 7.
β. tomentosum, Koch.
γ. littorale.
‡ 2. nigrum, L. *a.* 5-9.
SOLIDAGO, L. *Syn. Sup.* 46.
5. Virgaurea, L. *p.* 7-9.
β. cambrica, Sm.
SONCHUS, L. *Syn. Æq.* 46.
alpinus, L. *p.* 7, 8.
5. [redacted], L. *p.* 7.
5. asper, Hoffm. (E.B.S.) *a.* 6-8.
6. oleraceus, L. *a.* 6-8.
palustris, L. *p.* 7, 8.
SPARGANIUM, L. *Monœc. Tri.* 89.
5. natans, L. *p.* 7, 8.
5. ramosum, Huds. *p.* 7, 8.
2. simplex, Huds. *p.* 7, 8.
[redacted], Schreb. *Tri. Dig.* 92.
alterniflora, Lois. *p.* 8.
stricta, Roth, *p.* 8.
[redacted], Heist. *Pent. Mon.* 47.
([redacted], H. B. F.)
1. hybrida, DC. *a.* 7.
SPERGULA, L. *Dec. Pent.* 15.
6. arvensis, L. *a.* 6, 7.
— β. vulgaris, Koch.
5. nodosa, L. *p.* 7, 8.
pentandra, L. *a.* 6, 7.
saginoides, L. *p.* 6.
SPERGULA, L.
— 2. subulata, Sw. *p.* 7, 8.
SPIRÆA, L. *Icos. Pent.* 27.
4. Filipendula, L. *p.* 7.
‡ 5. salicifolia, L. *s.* 7.
6. Ulmaria, L. *p.* 6, 7.
SPIRANTHES, Rich. *Gyn. Mon.* 78.
(Neottia, H. B. F.)
+ æstivalis, Rich. *p.* 7, 8.
autumnalis, Rich. *p.* 8, 9.
(N. spiralis, H. B. F.)
gemmipara, — *p.* 8.
STACHYS, L. *Did. Gym.* 5-9.
annua, L. *a.* 8.
5. arvensis, L. *a.* 7, 8.
1. Betonica, Benth. *p.* 7, 8.
(Beton. officinalis, H. B. F.)
germanica, L. *p.* 9.
6. palustris, L. *p.* 8.
2. β. ambigua, Benth.
6. sylvatica, L. *p.* 7, 8.
STAPHYLEA, L. *Pent. Trig.* 24.
‡ 2. pinnata, L. *s.* 6.
STATICE, L. *Pent. Pent.* 63.
Limonium, L. *p.* 7, 8.
reticulata, L. *p.* 7, 8.
spathulata, Desf. *p.* 8.
Vide ARMERIA.
STEENHAMMERA, Rch. *Pent. Mon.* 55.
(Lithospermum, H. B. F.)
1. maritima, Reich. *p.* 6, 8.
STELLARIA, L. *Dec. Trig.* 15.
aquatica, Vill. *p.* 7.
(Cerastium aquat. H. B. F.)
cerastoides, L. *p.* 6-8.
5. glauca, With. *p.* 6, 7.
5. graminea, L. *p.* 5.
6. [redacted], L. *p.* 5.
6. media, With. *a.* 3-11.
β. umbrosa, Opitz.
— 3. nemorum, L. *p.* 5, 6.
scapigera, Willd. *p.* 6.
5. uliginosa, Murr. *a.* 6, 7.
STIPA, L. *Tri. Dig.* 92.
pennata, L. *p.* 6.
STRATIOTES, L. *Polyan. Pent.* 77.
2. aloides, L. *p.* 7.
STURMIA, Reich. *Gyn. Mon.* 78.
(Liparis, H. B. F.)
Loeselii, Reich. *p.* 6, 7.
SUBULARIA, L. *Tetrad. Silic.* 6.
1. aquatica, L. *a.* 7, 8.
SYMPHYTUM, L. *Pent. Mon.* 55.
4. officinale, L. *p.* 5, 6.
β. patens, Sibth.
6. tuberosum, L. *p.* 6, 7.

TAMARIX, L. *Pent. Trig.* 12.
anglica, Webb. *s.* 7.
(gallica, H. B. F.)
[redacted] L. *Diœc. Hex.* 81.
[redacted], L. *p.* 6.

[redacted], L. *Syn. Sup.* 46.
5. [redacted], L. *p.* 7, 8.
TARAXACUM, Juss. *Syn. Æq.* 46.
6. officinale, Wigg. *p.* 4–8.
(Leontodon Taraxacum, H.B.F.)
4. β. palustre, Bab.
γ. lævigatum, Bab.
TAXUS, L. *Diœc. Monad.* 76.
‡ 2. baccata, L. *t.* 3, 4.
β. fastigiata, Lindl.
[redacted], Br. *Tetrad. Silic.* 6.
[redacted], Br. *a.* 5.
TEUCRIUM, L. *Did. Gym.* 59.
? 1. Chamædrys, L. *p.* 7, 8.
regium, Schreb. (A.S.) *p.* 8.
scordioides, Schreb. *p.* 7, 8.
Scordium, L. *p.* 7, 8.
6. [redacted], L. *p* 7, 8.
THALICTRUM, L. *Polyan. Pol.* 1.
alpinum, L. *p.* 6.
1. flavum, L. *p.* 6, 7.
5. minus, L. *p.* 6–8.
3. β. majus, Jacq.
THESIUM, L. *Pent. Mon.* 70.
linophyllum, L. *p.* 7.
THLASPI, L. *Tetrad. Silic.* 6.
alpestre, L. *p.* 6, 7.
4. arvense, L. *a.* 6, 7.
perfoliatum, L. *a.* 4, 5.
[redacted], Roth, *Syn. Æq.* 46.
2. [redacted], Roth, *p.* 7, 8.
THYMUS, L. *Did. Gym.* 59.
6. Serpyllum, L. *p.* 7, 8.
β. hirsutus, Sm.
TILIA, L. *Polyan. Mon.* 17.
? 5. europæa, L. *t.* 7.
? 5. grandifolia, Ehrh. *t.* 6, 7.
β. corallina, Sm.
‡ 2. parvifolia, Ehrh. *t.* 8.
TILLÆA, L. *Tetran. Tetrag.* 35.
muscosa, L. *a.* 5, 6.
TOFIELDIA, Huds. *Hex. Trig.* 85.
palustris, Huds. *p.* 7, 8.
TORDYLIUM, L. *Pent. Dig.* 38.
maximum, L. *a.* 6, 7.
TORILIS, Adans. *Pent. Dig.* 38.
6. Anthriscus, Gaert. *a.* 7.
infesta, Spreng. *a.* 7.
4. nodosa, Gaert. *a.* 5, 6.
TORMENTILLA, L. *vide* POTENTILLA.
TRAGOPOGON, L. *Syn. Æq.* 46.
5. minor, Fries, *b.* 6. (L.F.S.)
(major, H. B. F.)
? 1. [redacted], L. *b.* 5, 6.
3. [redacted], L. *b.* 6.
[redacted], Ker, *Tri. Mon.* 79.
[redacted], Reich. *p.* 3, 4.
[redacted], L. *Hept. Mon.* 62.
1. [redacted], L. *p.* 5, 6.
[redacted], L. *Diad. Dec.* 26.
[redacted], L. *a.* 7, 8.

TRIFOLIUM, L.
Bocconi, Sav. (A.S.) *a.* 7, 8.
6. filiforme, L. *a.* 6, 7.
1. fragiferum, L. *p.* 7, 8.
glomeratum, L. *a.* 6.
‡ 3. incarnatum, L. (B.F.S.) *a.* 7.
maritimum, Huds. *a.* 6, 7.
6. medium, L. *p.* 7.
6. [redacted], Sm. *a.* 6, 7.
ochroleucum, L. *p.* 6, 7.
3. ornithopodioides, L. *a.* 6, 7.
6. [redacted], L. *p.* 5–9.
6. [redacted], L. *a.* 6, 7.
4. β. campestre, Schreb.
6. [redacted], L. *p.* 5-9.
resupinatum, L. *a.* 6, 7.
4. scabrum, L. *a.* 5, 6.
stellatum, L. *a.* 7, 8.
6. striatum, L. *a.* 6.
strictum, L. (B.F.S.) *a.* 6.
subterraneum, L. *a.* 5.
suffocatum, L. *a.* 6, 7.
TRIGLOCHIN, L. *Hex. Trig.* 88.
6. maritimum, L. *p.* 5–8.
6. palustre, L. *p.* 6–8.
TRINIA, Hoffm. *Pent. Dig.* 38.
glaberrima, Hoffm. *p.* 5, 6.
TRIODIA, *vide* DANTHONIA.
TRISETUM, Beauv. *Tri. Dig.* 92.
(Avena, H. B. F.)
6. flavescens, Beauv. *p.* 7.
TRITICUM, L. *Tri. Dig.* 92.
5. caninum, Schreb. *p.* 7.
cristatum, Schreb. *p.* 7.
5. junceum, L. *p.* 7.
6. repens, L. *p.* 6-8.
β. littorale, Host.
Vide SCLEROCHLOA.
[redacted], L. *Polyan. Pol.* 1.
3. [redacted], L. *p.* 5–7.
TULIPA, L. *Hex. Mon.* 84.
1. sylvestris, L. *p.* 4.
TURRITIS, L. *Tetrad. Siliq.* 6.
glabra, L. *b.* 5, 6.
[redacted], L. *Syn. Sup.* 46.
6. [redacted], L. *p.* 3, 4.
TYPHA, L. *Monœc. Tri.* 89.
angustifolia, L. *p.* 6, 7.
1. latifolia, L. *p.* 7.
minor, Sm. *p.* 7.

ULEX, L. *Diad. Dec.* 26.
6. europæus, L. *s.* 2-6.
[redacted], Forst. *s.* 8-11.
β. major, Bab.
strictus, Mack. *s.* 6.
ULMUS, L. *Pent. Dig.* 74.
? 2. campestris, L. *t.* 3, 4.
carpinifolia, Lindl. *t.* 3.?.
glabra, Mill. *t.* 3.
β. glandulosa.
γ. latifolia.

ULMUS, L.
major, Sm. *t.* 3.
? 5. montana, Bauh. *t.* 3, 4.
stricta, Lindl. *t.* 3.?.
β. parvifolia.
? 2. suberosa, Ehrh. *t.* 3.
URTICA, L. *Monœc. Tet.* 74.
6. dioica, L. *p.* 7, 8.
β. angustifolia, Bab.
Dodartii, L. (A.S.) *a.* 6,
pilulifera, L. *a.* 6, 7.
6. urens, L. *a.* 6-10.
UTRICULARIA, L. *Dian. Mon.* 6
intermedia, Hayne, *p.* 6
2. minor, L. *p.* 6-8.
3. vulgaris, L. *p.* 6, 7.

VACCINIUM, L. *Oct. Mon.* 48.
6. Myrtillus, L. *s.* 5.
3. [redacted], L. *s.* 6.
uliginosum, L. *s.* 5.
2. Vitis-Idæa, L. *s.* 5, 6.
VALERIANA, L. *Tri. Mon.* 44.
1. dioica, L. *p.* 6.
5. officinalis, L. *p.* 6, 7.
3. pyrenaica, L. *p.* 6, 7.
Vide CENTRANTHUS.
VALERIANELLA, Mnch. *Tri. Mon.*
(Fedia, H. B. F.)
2. Auricula, DC. *a.* 6, 7.
β. tridentata, Reich.
carinata, Lois. *a.* 7.
4. dentata, Leight. *a.* 6, 7.
(Morisonii, DC.)
1. β. mixta, Dufr.
1. γ. eriocarpa, Desv.
6. olitoria, Mœnch, *a.* 4–6.
VELLA, L. *Tetrad. Siliq.* 6.
annua, L. *a.* 6.
VERBASCUM, L. *Pent. Mon.* 56.
Blattaria, L. *a.* 7.
floccosum, W. et K. *b.* 7
(pulverulentum, H. B.
Lychnitis, L. *b.* 7, 8.
1. nigrum, L. *p.* 7, 8.
thapsiforme, Schrad. *b.* 7,
3. Thapsus, L. *b.* 7, 8.
virgatum, With. *b.* 8.
[redacted], L. *Did. Gym.* 60.
[redacted], L. *p.* 7.
VERONICA, L. *Dian. Mon.* 58.
5. agrestis, L. *a.* 4-9.
alpina, L. *p.* 7, 8.
3. [redacted], L. *p.* 7, 8.
6. arvensis, L. *a.* 4, 5.
6. [redacted], L. *p.* 6, 7.
2. Buxbaumii, Ten. *a.* 4–9
6. Chamædrys, L. *p.* 5, 6.
‡ 1. fruticulosa, L. *p.* 7.
6. hederifolia, L. *a.* 4–6.

QUERCUS, L.
! 5. Robur, L. *t.* 4.
? 3. sessiliflora, Salisb. *t.* 4, 5.

RADIOLA, Gmel. *Tetran. Tetrag.* 21.
|| 2. Millegrana, Sm. *a.* 7, 8.
RANUNCULUS, L. *Polyan. Pol.* 1.
— 6. acris, L. *p* 6, 7.
[redacted], L. *p.* 5.
5. [redacted], L. *p.* 5, 6.
4. β. pantothrix, Bab.
2. arvensis, L. *a.* 6.
5. [redacted], L. *p.* 4, 5.
5. [redacted], L. *p.* 5.
4. circinatus, Sibth. (A.S.) *p.* 6.
6. [redacted], L. *p.* 4.
6. [redacted], L. *p.* 6–9.
β. serratus, Sm.
[redacted], Lam. (A. S.) *p.* 6.
gramineus, L. *p.* 5, 6.
5. [redacted], L. *p.* 5–8.
— 2. hirsutus, Curt. *a.* 6–10.
β. parvulus, Sm.
4. [redacted], L. *p.* 7.
+ ophioglossifolius, Vill.
(E. B. S.) *p.* 7.
[redacted], L. *a.* 5, 6.
6. repens, L. *p.* 6–8.
reptans, L. *p.* 6–9.
5. [redacted], L. *a.* 6–8.
RAPHANUS, L. *Tetrad. Siliq.* 6.
— maritimus, Sm. *b.* 5, 6.
6. [redacted], L. *a.* 6. 7.
RESEDA, L. *Dod. Trig.* 7.
? 1. alba, L. *a.* 6.
‡ 2. fruticulosa, L. *p.* 6, 7.
4. [redacted], L. *a.* 7, 8.
6. [redacted], L. *a.* 7.
RHAMNUS, L. *Pent. Mon.* 25.
catharticus, L. *s.* 5, 6.
Frangula, L. *s.* 5.
RHINANTHUS, L. *Did. Ang.* 58.
6. [redacted], L. *a.* 6, 7.
major, Ehrh. *a.* 7.
~~RHODIOLA, L. vide SEDUM.~~
RHYNCHOSPORA, Vahl, *Tri. Mon.* 91.
|| 2. alba, Vahl, *p.* 6–8.
fusca, Sm. *p.* 7, 8.
RIBES, L. *Pent. Mon.* 36.
! 2. alpinum, L. *s.* 5.
Grossularia, L. *s.* 5.
β. Uva-crispa, L.
! 2. nigrum, L. *s.* 5.
petræum, Wulf. *s.* 5, 6.
(spicatum, Robs. ?)
! 3. rubrum, L. *s.* 5.
RŒMERIA, DC. *Polyan. Mon.* 4.
hybrida, DC. *a.* 5, 6.
(Glaucium violaceum, H.B.F.)

ROSA, L. *Icos. Pol.* 27.
3. arvensis, Huds. *s.* 6, 7.
β. glandulosa.
γ. flexuosa.
bractescens, Woods, *s.* 6, 7.
cæsia, Sm. *s.* 6, 7.
β. incana.
6. canina, L. *s.* 6, 7.
β. sarmentacea, Sw.
γ. surculosa, Woods.
δ. dumetorum, Thu.
ε. Forsteri, Sm.
(collina Jacq.)
! 2. cinnamomea, L. *s.* 5, 6.
2. Dicksoni, Lindl. *s.* 6.
hibernica, Sm. *s.* 6–11.
inodora, Fries, *s.* 6, 7.
(Borreri, Woods.
dumetorum, Sm.)
β. hirsuta.
γ. glandulosa.
involuta, Sm. *s.* 6.
micrantha, Sm. *s.* 6, 7.
rubella, Sm. *s.* 5.
5. rubiginosa, L. *s.* 6, 7.
2. Sabini, Woods, *s.* 6.
2. β. Doniana, Woods.
γ. gracilis, Woods.
sepium, Thuil. *s.* 6, 7.
6. spinosissima, L. *s.* 5.
β. pilosa, Lindl.
systyla, Woods, *s.* 6, 7.
(collina, Sm.)
β. nitida.
γ. glauca.
6. tomentosa, Sm. *s.* 6, 7.
(Sherardi, Dav.)
β. scabriuscula, Winch.
5. villosa, L. *s.* 6, 7.
Wilsoni, Borr. *s.* 6, 7.
ROTTBOELLIA, *vide* LEPTURUS.
[redacted], L. *Tetran. Mon.* 43.
[redacted], L. *p.* 6–8.
RUBUS, L. *Icos. Pol.* 27.
affinis, W. et N. *s.* 7–9.
arcticus, L. *p.* 6.
argenteus, W. et N. (B.F.S.)
s. 7–9.
cæsius, L. *s.* 6, 7.
β. dumetorum, W. et N.
carpinifolius, W. et N. *s.* 7, 8.
2. Chamæmorus, L. *p.* 6.
5. corylifolius, Sm. *s.* 7, 8.
fissus, Lindl. *s.* 7–9.
6. fruticosus, L. *s.* 7, 8.
5. idæus, L. *s.* 5, 6.
Köhleri, W. et N. *s.* 7, 8.
β. fusco-ater, W. et N.
γ. pallidus, W. et N.
Leightoni, Lees, (L.F.S.) *s.* 7.
leucostachys, Sm. *s.* 7, 8.
macrophyllus, W. & N. *s.* 7, 8.

RUBUS, L.
plicatus, W. et N. *s.* 6–8.
Radula, W. et N. *s.* 7–9.
rhamnifolius, W. et N. *s.* 7, 8.
rudis, W. et N. *s.* 7, 8.
2. saxatilis, L. *p.* 6.
Schleicheri, W. et N. (L.F.S.)
s. 7–9.
suberectus, And. *s.* 6–8.
sylvaticus, W. et N. *s.* 7–9.
villicaulis, Köhl. (L.F.S.) *s.* 7–9.
vulgaris, W. et N. *s.* 7–9.
RUMEX, L. *Hex. Trig.* 67.
6. acetosa, L. *p.* 6, 7.
6. Acetosella, L. *p.* 5–7.
! 2. alpinus, L. *p.* 7.
4. aquaticus, L. *p.* 7.
6. conglomeratus, Murr. *p.* 7
(acutus, H. B. F.)
6. crispus, L. *p.* 6, 7.
Hydrolapathum, Huds. *p.* 8
2. maritimus, L. *p.* 7, 8.
6. obtusifolius, L. *p.* 7, 8.
palustris, Sm. *p.* 7, 8.
pratensis, M. et K. *p.* 6, 7.
pulcher, L. *p.* 8.
2. sanguineus, L. *p.* 7.
2. β. viridis, Sibth.
(Nemolapathum, Ehrh.)
! 2. scutatus, L. (A. S.) *p.* 6, 7
RUPPIA, L. *Tetran. Tetrag.* 90.
2. maritima, L. *p.* 7–9.
β. rostellata, Koch.
RUSCUS, L. *Diœc. Trian.* 82.
? 2. aculeatus, L. *p.* 3, 4.

SAGINA, L. *Tetran. Tetrag.* 15.
— 2. apetala, L. *a.* 5, 6.
— β. glabra, Bab. (B.F.S.)
— 5. maritima, Don, *a.* 5–8.
— 5. procumbens, L. *p.* 5–8.
+ β. spinosa, Bab.
[redacted], L. *Monœc. Pol.* 88.
[redacted], L. *p.* 7, 8.
SALICORNIA, L. *Monan. Mon.* 66.
5. herbacea, L. *a.* 8, 9.
β. procumbens, Sm.
radicans, Sm. *p.* 8, 9.
β. fruticosa, Sm.
SALIX, L. *Diœc. Dian.* 75.
2. acuminata, Sm. *s* 4.
5. alba, L. *s.* 5.
5. β. cærulea, Sm.
ambigua, Ehrh. *s.* 5.
β. sericea.
γ. spathulata, Willd.
amygdalina, L. *s.* 4–8.
5. Andersoniana, Sm. *s.* 5, 6.
angustifolia, Wulf. ! *s.* 4.
2. aquatica, Sm. *s.* 4.
1. arenaria, L. *s.* 6.

SALIX, L.
5. aurita, L. *s.* 5.
bicolor, Ehrh. *s.* 4–7.
Borreriana, Sm. *s.* 4.
5. caprea, L. *s.* 4, 5.
carinata, Sm. *s.* 4-6.
5. cinerea, L. *s.* 4.
cotinifolia, Sm. *s.* 4, 5.
Croweana, Sm. *s.* 4, 5.
Damascena, Forb. *s.* 4.
Davalliana, Sm. *s.* 5.
2. decipiens, Hoffm. *s.* 5.
Dicksoniana, Sm. *s.* 4.
Doniana, Sm. *s.* 5.
ferruginea, And. *s.* 4, 5.
Forbyana, Sm. *s.* 4.
Forsteriana, Sm. *s.* 5, 6.
5. fragilis, L. *s.* 4, 5.
5. fusca, L. *s.* 4, 5.
5. β. repens, L.
γ. prostrata, Sm.
δ. fœtida, Sm.
(adscendens, Sm.
parvifolia, Sm.)
ι. incubacea, L.
ζ. argentea, Sm.
glauca, L. *s.* 7.
hastata, L. *s.* 5.
5. Helix, L. *s.* 3, 4.
herbacea, L. *s.* 6.
hirta, Sm. *s.* 4, 5.
Hoffmanniana, Sm. *s.* 5.
holosericea, Willd. *s.* 4, 5.
5. Lambertiana, Sm. *s.* 4.
lanata, L. *s.* 5.
laurina, Sm. *s.* 4, 5.
laxiflora, Borr. *s.* 4.
myrsinites, L. *s.* 6.
β. arbutifolia, Willd.
2. nigricans, Sm. *s.* 4.
nitens, And. *s.* 4.
2. oleifolia, Sm. *s.* 3.
5. pentandra, L. *s.* 5, 6.
petiolaris, Sm. *s.* 4.
petræa, And. *s.* 5.
phillyreifolia, Borr. *s.* 4
procumbens, Forb. *s.* 6.
propinqua, Borr. *s.* 5.
prunifolia, Sm. *s.* 4-6.
purpurea, L. *s.* 3.
radicans, Sm. *s.* 5.
reticulata, L. *s.* 6, 7.
rosmarinifolia, L. *s.* 4.
5. rubra, Huds. *s.* 4, 5.
rupestris, Donn, *s.* 5.
5. Russelliana, Sm. *s.* 4, 5.
2. Smithiana, Willd. *s.* 4, 5.
sphacelata, Sm. *s.* 4, 5.
5. stipularis, Sm. *s.* 4.
Stuartiana, Sm. *s.* 7, 8.
tenuifolia, Sm. *s.* 5, 6.
tenuior, Borr. *s.* 5.

SALIX, L.
tetrapla, Walk. *s.* 5.
2. triandra, L. *s.* 5–8.
2. undulata, Ehrh. *s.* 4, 5.
vacciniifolia, Walk. *s.* 4.
venulosa, Sm. *s.* 4 6.
5. viminalis, L. *s.* 4, 5.
2. vitellina, L. *s.* 5.
Weigeliana, Willd. *s.* 4, 5.
Woolgariana, Borr. *s.* 5.
SALSOLA, L. *Pent. Dig.* 66.
5. Kali, L. *a.* 7.
SALVIA, L. *Dian. Mon.* 59.
+ clandestina, L.?(B.F.S.)*p.* 7.
pratensis, L. *p.* 7.
4. verbenaca, L. *p.* 6–9.
SAMBUCUS, L. *Pent. Trig.* 42.
2. Ebulus, L. *p.* 7.
5. nigra, L. *s.* 6.
β. laciniata.
γ. leucocarpa.
[redacted], L. *Pent. Mon.* 62.
2. Valerandi, L. *p.* 7.
SANGUISORBA, L. *Tetran. Mon.* 27.
[redacted], L. *p.* 6, 7.
β. media, L.
SANICULA, L. *Pent. Dig.* 38.
6. europæa, L. *p.* 5, 6.
[redacted], L. *Dec. Dig.* 15.
2. [redacted], L. *p* 7–9.
SAROTHAMNUS, Wim. *Dia. Dec.* 26.
(Cytisus, H. B. F.)
6. scoparius, Wimm. *s.* 5, 6.
SAUSSUREA, DC. *Syn. Æq.* 46.
alpina, DC. *p.* 7, 8.
SAXIFRAGA, L. *Dec. Dig.* 37.
‖ 2. aizoides, L. *p.* 6–9.
cæspitosa, L. *p.* 5, 6.
β. decipiens, Sm.
cernua, L. *p.* 7, 8.
‡ 2. Geum, L. *p.* 6.
β. dentata, Mack.
γ. polita, Mack.
δ. elegans, Mack.
ι. gracilis, Mack.
6. granulata, L. *p.* 5, 6.
2. Hirculus, L. *p.* 8.
hirsuta, L. *p.* 6.
4. hypnoides, L. *p.* 5–7.
β. hirta, Don.
γ. affinis, Don.
δ. platypetala, Sm.
ι. incurvifolia, Don.
ζ. denudata, Don.
η. elongella, Sm.
θ. lætevirens, Don.
muscoides, Wulf. *p.* 5.
β. pygmæa, Haw.
nivalis, L. *p.* 7, 8.
oppositifolia, L. *p.* 4, 5.
pedatifida, Ehrh. *p.* 5.

SAXIFRAGA, L.
rivularis, L. *a.* 7, 8.
‖ 3. stellaris, L. *p.* 6, 7.
β. integrifolia, Hook.
4. tridactylites, L. *a.* 4, 5.
‡ 5. umbrosa, L. *p.* 6.
β. punctata, Haw.
γ. serrata, Haw.
SCABIOSA, L. *Tetran. Mon.* 45.
‖ 2. columbaria, L. *p.* 6–8.
6. succisa, L. *p.* 7–10.
[redacted], L. *Pent. Dig.* 38.
6. Pecten-Veneris, L. *a.* 6–8
SCHEUCHZERIA, L. *Hex. Trig.* 88.
palustris, L. *p.* 6, 7.
SCHOBERIA, Mey. *Pent. Dig.* 66.
(Chenopodium, H. B. F.)
fruticosa, Mey. *p.* 7, 8.
5. maritima, Mey. *a.* 7, 8.
SCHŒNUS, L. *Tri. Mon.* 91.
‖ 5. nigricans, L. *p.* 6, 7.
SCILLA, L. *Hex. Mon.* 83.
+ [redacted], L. *p.* 9.
bifolia, L. *p.* 3, 4.
verna, Huds. *p.* 4.
SCIRPUS, L. *Tri. Mon.* 91.
5. cæspitosus, L. *p.* 6, 7.
(Eleocharis cæspitosa, H. B. F.)
4. lacustris, L. *p.* 7, 8.
5. maritimus, L. *p.* 7, 8.
parvulus, R.et.S.(A.S.)*p.* 7.
2. pauciflorus, Lightf. *p.* 7, 8.
(Eleocharis pauciflora, H. B. F.)
+ pungens, Vahl, *p* 7.
5. sylvaticus, L. *p.* 6, 7.
2. Tabernæmontani, Gmel. *p.* 7.
(glaucus, Sm.)
trigonus, Roth, *p.* 7, 8.
(carinatus, H. B. F.)
triqueter, L. *p.* 8.
Vide ISOLEPIS.
SCLERANTHUS, L. *Dec. Dig.* 34.
6. annuus, L. *a.* 6–8.
perennis, L. *p.* 6–9.
SCLEROCHLOA, Br. *Tri. Dig.* 92.
(Poa and Triticum, H.B.F.)
Borreri, Bab. *a.* 7.
5. distans,—*p.* 7, 8.
4. loliacea, Woods, *a.* 6, 7.
(Triticum lol. H. B. F.)
5. maritima, Bab. *p.* 7, 8.
procumbens, Beauv. *a.* 6 8.
5. rigida, Link, *a.* 6.
SCROPHULARIA, L. *Did. Ang.* 58.
aquatica, L. *p.* 7.
2. Ehrharti, C.A.Ste.(A.S)*p.* 7.
6. nodosa, L. *p.* 7.
[redacted], L. *p* 7, 8.
! 2. vernalis, L. *b.* 4, 5.

Sc[redacted] L. *Did. Gym.* 59.
2. [redacted], *p.* 7, 8.
[redacted], L. *p.* 7, 8.
SEDUM, L. *Dec. Pent.* 35.
6. acre, L. *p.* 6.
! 2. album, L. *p.* 7.
2. anglicum, Huds. *a.* 6, 7.
2. dasyphyllum, L. *p.* 6.
Forsterianum, Sm. *p.* 6, 7.
glaucum, Don, *p.* 7, 8.
1. reflexum, L. *p.* 7.
Rhodiola, DC. *p.* 6.
(Rhodiola rosea, H. B. F.)
rupestre, L. *p.* 7.
sexangulare, L. *p.* 7.
3. Telephium, L. *p.* 8.
5. villosum, L. *p.* 6, 7.
SEMPERVIVUM, L. *Dod. Dod.* 35.
! 2. tectorum, L. *p.* 7.
SENEBIERA, DC. *Tetrad. Silic.* 6.
(Coronopus, H. B. F.)
— 4. Coronopus, DC. *a.* 6-9.
(C. Ruellii, H. B. F.)
— ‡ 1. didyma, Sm. *a.* 7.
SENECIO, L. *Syn. Sup.* 46.
5. aquaticus, Huds. *p.* 7, 8.
+ 3. β. erraticus, Bert. (B.F.S.)
[redacted], L. *p.* 7, 8.
([redacted], H. B. F.)
6. [redacted], L. *p.* 7, 8.
paludosus, L. *p.* 6, 7.
! 2. saracenicus, L. *p.* 7, 8.
squalidus, L. *a.* 6-10.
5. sylvaticus, L. *a.* 7.
2. β. lividus, L.
5. viscosus, L. *a.* 7-10.
6. vulgaris, L. *a.* 2-11.
β. radiatus, Koch, (B.F.S.)
SERRATULA, L. *Syn. Æq.* 46.
tinctoria, L. *p.* 7, 8.
SESELI, L. *Pent. Dig.* 38.
Libanotis, Koch, *p.* 8.
[redacted], Scop. *Tri. Dig.* 92.
[redacted], Scop. *p.* 4-6.
SETARIA, Beauv. *Tri. Dig.* 92.
verticillata, Beauv. *a.* 7, 8.
! 1. viridis, Beauv. *a.* 7, 8.
[redacted], L. *Tetran. Mon.* 43.
6. [redacted], L. *a.* 6-8.
SIBBALDIA, L. *Pent. Pentag.* 27.
procumbens, L. *p.* 7, 8.
SIBTHORPIA, L. *Did. Ang.* 58.
europæa, L. *p.* 7, 8.
SILAUS, Bess. *Pent. Dig.* 38.
4. pratensis, Bess. *p.* 8, 9.
SILENE, L. *Dec. Trig.* 15.
acaulis, L. *p.* 6, 7.
— 2. anglica, L. *a.* 6, 7.
! 2. Armeria, L. *a.* 7, 8.
— 2. conica, L. *a.* 6, 7.
6. inflata, Sm. *p.* 6-8.
β. hirsuta.
SILENE, L.
italica, DC. *p.* 6, 7.
5. maritima, With. *p.* 6-9.
— 2. noctiflora, L. *a.* 7.
— 2. nutans, L. *p.* 6, 7.
Otites, Sm. *p.* 6-8.
— quinquevulnera, L. *a.* 6, 7.
SILYBUM, Gært. *Syn. Æq.* 46.
2. Marianum, Gært. *a.* 6, 7.
(Carduus Mar. H. B. F.)
SINAPIS, L. *Tetrad. Siliq.* 6.
— 5. alba, L. *a.* 6.
— 6. arvensis, L. *a.* 5.
β. retrohirsuta, Reich.
+ Cheiranthus, Koch, (E.B.S.)
b. 7, 8.
monensis, Bab. *p.* 6, 7.
(Brassica monens. H.B.F.)
Vide BRASSICA,
DIPLOTAXIS & ERUCASTRUM.
SISON, L. *Pent. Dig.* 38.
Amomum, L. *a.* or *b.* ! 8.
SISYMBRIUM, L. *Tetrad. Siliq.* 6.
— Irio, L. *a.* 7, 8.
— 6. officinale, L. *a.* 6, 7.
5. Sophia, L. *a.* 7-9.
— 6. thalianum, Gaud. *a.* 4, 5.
SIUM, L. *Pent. Dig.* 38.
5. angustifolium, L. *p.* 7, 8.
2. latifolium, L. *p.* 7-9.
SMYRNIUM, L. *Pent. Dig.* 38.
! 2. Olusatrum, L. *b.* 5, 6.
SOLANUM, L. *Pent. Mon.* 56.
5. [redacted], L. *s.* 6, 7.
β. tomentosum, Koch.
γ. littorale.
! 2. nigrum, L. *a.* 5-9.
SOLIDAGO, L. *Syn. Sup.* 46.
5. Virgaurea, L. *p.* 7-9.
β. cambrica, Sm.
SONCHUS, L. *Syn. Æq.* 46.
alpinus, L. *p.* 7, 8.
5. [redacted], L. *p.* 7.
5. asper, Hoffm. (E.B.S.) *a.* 6-8.
6. oleraceus, L. *a.* 6-8.
palustris, L. *p.* 7, 8.
SPARGANIUM, L. *Monœc. Tri.* 89.
5. natans, L. *p.* 7, 8.
5. ramosum, Huds. *p.* 7, 8.
2. simplex, Huds. *p.* 7, 8.
[redacted], Schreb. *Tri. Dig.* 92.
alterniflora, Lois. *p.* 8.
stricta, Roth, *p.* 8.
[redacted], Heist. *Pent. Mon.* 47.
([redacted], H. B. F.)
1. [redacted], DC. *a.* 7.
SPERGULA, L. *Dec. Pent.* 15.
6. arvensis, L. *a.* 6, 7.
— β. vulgaris, Koch.
5. nodosa, L. *p.* 7, 8.
pentandra, L. *a.* 6, 7.
saginoides, L. *p.* 6.
SPERGULA, L.
— 2. subulata, Sw. *p.* 7, 8.
SPIRÆA, L. *Icos. Pent.* 27.
4. Filipendula, L. *p.* 7.
! 5. [redacted], L. *s.* 7.
6. Ulmaria, L. *p.* 6, 7.
SPIRANTHES, Rich. *Gyn. Mon.* 78.
(Neottia, H. B. F.)
+ æstivalis, Rich. *p.* 7, 8.
autumnalis, Rich. *p.* 8, 9.
(N. spiralis, H. B. F.)
gemmipara, — *p.* 8.
STACHYS, L. *Did. Gym.* 5-9.
annua, L. *a.* 8.
5. arvensis, L. *a.* 7, 8.
1. Betonica, Benth. *p.* 7, 8.
(Beton. officinalis, H. B. F.)
germanica, L. *p.* 9.
6. palustris, L. *p.* 8.
2. β. ambigua, Benth.
6. sylvatica, L. *p.* 7, 8.
STAPHYLEA, L. *Pent. Trig.* 24.
‡ 2. pinnata, L. *s.* 6.
STATICE, L. *Pent. Pent.* 63.
Limonium, L. *p.* 7, 8.
reticulata, L. *p.* 7, 8.
spathulata, Desf. *p.* 8.
Vide ARMERIA.
STEENHAMMERA, Rch. *Pent. Mon.* 55.
(Lithospermum, H. B. F.)
1. maritima, Reich. *p.* 6, 8.
STELLARIA, L. *Dec. Trig.* 15.
aquatica, Vill. *p.* 7.
(Cerastium aquat. H. B. F.)
cerastoides, L. *p.* 6-8.
5. glauca, With. *p.* 6, 7.
5. graminea, L. *p.* 5.
6. [redacted], L. *p.* 5.
6. media, With. *a.* 3-11.
β. umbrosa, Opitz.
— 3. nemorum, L. *p.* 5, 6.
scapigera, Willd. *p.* 6.
5. uliginosa, Murr. *a.* 6, 7.
STIPA, L. *Tri. Dig.* 92.
pennata, L. *p.* 6.
STRATIOTES, L. *Polyan. Pent.* 77.
2. aloides, L. *p.* 7.
STURMIA, Reich. *Gyn. Mon.* 78.
(Liparis, H. B. F.)
Loeselii, Reich. *p.* 6, 7.
SUBULARIA, L. *Tetrad. Silic.* 6.
1. aquatica, L. *a.* 7, 8.
SYMPHYTUM, L. *Pent. Mon.* 55.
4. officinale, L. *p* 5, 6.
β. patens, Sibth.
6. tuberosum, L. *p.* 6, 7.

TAMARIX, L. *Pent. Trig.* 12.
anglica, Webb. *s.* 7.
(gallica, H. B. F.)
[redacted], L. *Diœc. Hex.* 81.
communis, L. *p*, 6.

EQUISETUM, L.
5. hyemale, L. *p.* 7, 8.
6. limosum, L. *p.* 6, 7.
6. palustre, L. *p.* 6, 7.
β. alpinum, Hook.
5. sylvaticum, L. *p.* 4, 5.
‖ 3. variegatum, Schl. *p.* 7–11.

[redacted].

HYMENOPHYLLUM, Sm. *Crypt. Fil.* 94.
[redacted], Sm. *p.* 5, 6.
‖ 2. Wilsoni, Hook. *p.* 5, 6.

ISOETES, L. *Crypt. Fil.* 94.
lacustris, L. *p.* 5, 6.

LASTREA, Bory, *Crypt. Fil.* 94.
(Aspidium, H. B. F.)
cristata, Presl, *p.* 8.
6. [redacted], Presl, *p.* 6, 7.
5. [redacted], Presl, *p.* 7.
rigida, Presl, *p.* 7.
6. spinulosa,— *p.* 6, 7.
5. β. dilatata.
γ. dumetorum.

[redacted], Bory.
[redacted], Presl, *p.* 7.
[redacted], Willd. *Crypt. Fil.* 94.
6. [redacted], Desv. *p.* 7.
([redacted] H.B.F.)

LYCOPODIUM, L. *Crypt. Fil.* 95.
3. alpinum, L. *p.* 8.
[redacted], L. *p.* 6–8.
5. [redacted], L. *p.* 7, 8.
inundatum, L. *p.* 6, 7.
5. selaginoides, L. *p.* 8.
2. [redacted], L. *p.* 6–8.

[redacted], L. *Crypt. Fil.* 94.
[redacted], L. *p.* 5.
[redacted], L. *Crypt. Fil.* 94.
‖ [redacted], L. *p.* 6, 7.

PILULARIA, L. *Crypt. Fil.* 94.
2. globulifera, L. *p.* 6, 7.

POLYPODIUM, L. *Crypt. Fil.* 94.
[redacted], Sm. *p.* 7.
5. [redacted], L. *p.* 7.
2. Phegopteris, L. *p.* 6, 7.

POLYPODIUM, L.
6. [redacted], L. *p.* 5–10.
β. serratum.
γ. cambricum.

POLYSTICHUM, Roth, *Crypt. Fil.*
(Aspidium, H.B.F.)
[redacted], Roth, *p.* 7.
[redacted].
6. [redacted], Roth, *p.* 7.
Lonchitis, Roth, *p.* 5–8.

[redacted], L. *Crypt. Fil.* 94.
6. [redacted], L. *p.* 7, 8.

[redacted], Sm. *Crypt. Fil.*
2. [redacted] Sym. *p.* 7.

TRICHOMANES, L. *Crypt. Fil.* 94.
speciosum, Willd. *p.* 5, 6.
(brevisetum, H.B.F.)

WOODSIA, Br. *Crypt. Fil.* 94.
hyperborea, Br. *p.* 7, 8.
ilvensis, Br. *p.* 7–9.

ENUMERATION OF THE PLANTS MENTIONED IN THE CATALOGUE.

	Britain.			Flora Edinensis.		
	Genera.	Species.	Varieties.	Genera.	Species.	Varieties.
Phanerogamous Plants	523	1594	230	394	931	45
Ferns	22	55	9	18	39	1
Total	545	1649	239	412	970	46

The Catalogue includes twenty-four species (A. S.) not included in any list of British Plants.

PRINTED FOR THE BOTANICAL SOCIETY OF EDINBURGH,

BY BALFOUR AND JACK.

NOTICES TO MEMBERS.

The blank Catalogues, which have been for some time preparing for the Botanical Society's Collections, will be completed by the end of this year; after which, Sets for private Herbaria, with directions for their use, and relative Maps, &c., may be obtained at a moderate price, on application to the Treasurer, Mr Brand, 4, Queen Street, Edinburgh.

Diplomas (which cost seven shillings and sixpence, including a case), may be obtained by members on application to the Secretaries.

Members not resident in Edinburgh may have the billets, containing a notice of the business brought before the Ordinary Meetings, forwarded to them regularly by post (prepaid), on subscribing one shilling and sixpence annually, or one pound for life.

Printed forms of Application for Admission as Resident or Non-Resident Fellows of the Society, may be had from the Secretaries.

The Society will, as far as possible, transmit parcels free of expense; and it is hoped that correspondents will, when practicable, adopt the same rule. It would also be desirable that members should state through which of the Local Secretaries, or by what other channel, communications may be addressed to them.

The Herbarium in the University may be inspected by members daily from 10 till 4 o'clock, except on Saturdays, when the rooms will be closed at 12.

N.B.—Members may obtain copies of the Catalogue from the Treasurer, at the rate of 8s. for 50, and 15s. for 100.

Lately Published, in 8vo, Price L.2, 2s.

With nineteen coloured plates,

ALGÆ BRITANNICÆ; or, Descriptions of the Marine and other Inarticulated Plants of the British Islands, belonging to the order Algæ; with plates illustrative of the Genera. By ROBERT KAYE GREVILLE, L.L.D., &c.

In 12mo, Second Edition, illustrated with Woodcuts, Price 12s.

OUTLINES OF MEDICAL BOTANY, comprising Vegetable Anatomy and Physiology, the Characters and Properties of the Natural orders of Plants, Tables of Medicinal Plants arranged in their Linnæan and Natural orders; and a Glossary of Terms. By HUGO REID.

In one thick Volume royal 8vo, price 40s. cloth.

A NEW GREEK AND ENGLISH AND ENGLISH AND GREEK LEXICON, with an Appendix, containing TERMS OF BOTANY, MINERALOGY, NATURAL HISTORY, &c., as used by the Greek Classical Writers. By GEORGE DUNBAR, A.M., F.R.S.E., and Professor of Greek in the University of Edinburgh.

The Appendix will be found very useful to Scientific Scholars, especially to the Botanist and the Natural Historian.

A Catalogue of Botanical and Scientific Works *at very reduced prices* is in preparation.

EDINBURGH:

PUBLISHED FOR MACLACHLAN, STEWART, & CO.

Lately Published in 12mo, Price 4s.

PRIMITIÆ FLORÆ SARNICÆ; or, an Outline of the Flora of the Channel Islands of Jersey, Guernsey, &c. containing a Catalogue of the Plants, indigenous to the Islands; with occasional observations upon their distinctive characters, affinities and nomenclature. By CHARLES C. BABINGTON, M.A., F.L.S.

CHEMISTRY OF ORGANIC BODIES—VEGETABLES. By THOMAS THOMSON, M.D., F.R.S.E., Regius Professor of Chemistry in the University of Glasgow, 8vo. boards. L.1, 4s.

LONDON: H. BAILLIERE.